



Innovation, Science and  
Economic Development Canada

Innovation, Sciences et  
Développement économique Canada

Published April 2018

Spectrum Management and Telecommunications

# **Canadian Table of Frequency Allocations (2018 Edition)**

Aussi disponible en français

**Canada**

The revised *Canadian Table of Frequency Allocations* is available electronically on ISED's [Spectrum Management and Telecommunications](#) website.

## Foreword

The *Canadian Table of Frequency Allocations* (Canadian Table) assigns the electromagnetic spectrum and establishes the frequency allocations available for radio services in Canada. The Canadian Table is based on the provisions of the *Final Acts* resulting from the various World Radiocommunication Conferences (WRC), including the 2015 WRC, convened by the International Telecommunication Union (ITU).

The Canadian Table and the associated general information will, from time to time, need to be revised. Such revisions occur when changes to the ITU *Table of Frequency Allocations* (ITU Table) are made as a result of World Radiocommunication Conferences or particular Canadian radio service requirements. The Canadian Table reflects international changes while taking into account Canadian requirements to ensure that government, commercial and private users have full flexibility to develop new radio applications and systems.

The Canadian Table is intended to respond to Canadian domestic spectrum requirements, and consequently reflects Innovation, Science and Economic Development Canada's (ISED) spectrum allocation and utilization policies developed through public consultation. It should be noted, therefore, that the Canadian Table differs, where necessary, from the ITU Table.

Canadian radio systems and spectrum utilization policies set the necessary elements for the use of frequency bands and/or radio services. Spectrum policies have traditionally designated the use of a radio service to certain applications in a particular frequency band, or bands. The spectrum designations are intended to accommodate diverse applications and users. Examples include designating the use of a mobile radio application for public safety applications or designating a fixed allocation to point-to-multipoint systems.

In some cases the use of a band, or the use of a service in a band, is withheld pending the development of a spectrum utilization policy. In cases where no spectrum utilization policy provisions exist in a given band, and there is no footnote withholding use, spectrum access may be available on a case-by-case basis.

Spectrum utilization policies developed in recent years have given more attention to defining the relationship between co-primary services in the same band. In some cases however, spectrum utilization policy provisions exist for one service but not another co-primary service allocated in a given band. This is particularly true where the implementation of the co-primary service is infrequent. In this case, coordination and authorization of systems within the service are generally handled on a case-by-case basis, taking into account the use designations for the other service.

Information on the *Canadian Table of Frequency Allocations* and its interpretation with respect to various spectrum utilization policies issued by ISED can best be obtained by contacting:

Engineering, Planning and Standards Branch  
Innovation, Science and Economic Development Canada (ISED)  
235 Queen Street  
Ottawa, Ontario K1A 0H5  
Canada  
Email: [ic.spectrumengineering-genieduspectre.ic@canada.ca](mailto:ic.spectrumengineering-genieduspectre.ic@canada.ca)

## Contents

<b>Definitions .....</b>	<b>1</b>
<b>1 - General terms.....</b>	<b>1</b>
<b>2 - Radio services .....</b>	<b>2</b>
<b>3 - Categories of services .....</b>	<b>6</b>
<b>4 – ITU Regions .....</b>	<b>6</b>
<b>Canadian Table of Frequency Allocations .....</b>	<b>8</b>
<b>International footnotes .....</b>	<b>73</b>
<b>Canadian footnotes .....</b>	<b>115</b>

## Definitions

The following is a list of those terms and definitions which are relevant to the *Canadian Table of Frequency Allocations*. These terms and definitions are extracted from the *Radio Regulations* of the International Telecommunication Union (ITU). The ITU *Radio Regulations* should be consulted for a more comprehensive listing.

### 1 - General terms

**Administration:** Any governmental department or service responsible for discharging the obligations undertaken in the Constitution of the International Telecommunication Union, in the Convention of the International Telecommunication Union and in the Administrative Regulations.

**Allocation (of a frequency band):** Entry in the Table of Frequency Allocations of a given frequency band for the purpose of its use by one or more terrestrial or space radiocommunication services or the radio astronomy service under specified conditions. This term shall also be applied to the frequency band concerned.

**Allotment (of a radio frequency or radio frequency channel):** Entry of a designated frequency channel in an agreed plan, adopted by a competent conference, for use by one or more administrations for a terrestrial or space radiocommunication service in one or more identified countries or geographical areas and under specified conditions.

**Assignment (of a radio frequency or radio frequency channel):** Authorization given by an administration for a radio station to use a radio frequency or radio frequency channel under specified conditions.

**Radio:** A general term applied to the use of radio waves.

**Radio waves or hertzian waves:** Electromagnetic waves of frequencies arbitrarily lower than 3 000 GHz, propagated in space without artificial guide.

**Radiocommunication:** Telecommunication by means of radio waves.

**Terrestrial radiocommunication:** Any radiocommunication other than space radiocommunication or radio astronomy.

**Space radiocommunication:** Any radiocommunication involving the use of one or more space stations or the use of one or more reflecting satellites or other objects in space.

**Radiodetermination:** The determination of the position, velocity and/or other characteristics of an object, or the obtaining of information relating to these parameters, by means of the propagation properties of radio waves.

**Radionavigation:** Radiodetermination used for the purposes of navigation, including obstruction warning.

**Radiolocation:** Radiodetermination used for purposes other than those of radionavigation.

**Radio direction-finding:** Radiodetermination using the reception of radio waves for the purpose of determining the direction of a station or object.

**Radio astronomy:** Astronomy based on the reception of radio waves of cosmic origin.

**Coordinated Universal Time (UTC):** Time scale, based on the second (SI), as described in Resolution 655 (WRC-15).

**Industrial, scientific and medical (ISM) applications (of radio frequency energy):** Operation of equipment or appliances designed to generate and use locally radio frequency energy for industrial, scientific, medical, domestic or similar purposes, excluding applications in the field of telecommunications.

## 2 - Radio services

**Aeronautical mobile service:** A mobile service between aeronautical stations, and aircraft stations, or between aircraft stations, in which survival craft stations may participate; emergency position-indicating radiobeacon stations may also participate in this service on designated distress and emergency frequencies.

**Aeronautical mobile (OR)\* service:** An aeronautical mobile service intended for communications, including those relating to flight coordination, primarily outside national or international civil air routes.

**Aeronautical mobile (R)\*\* service:** An aeronautical mobile service reserved for communications relating to safety and regularity of flight, primarily along national or international civil air routes.

**Aeronautical mobile-satellite service:** A mobile-satellite service in which mobile earth stations are located on board aircraft; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.

**Aeronautical mobile-satellite (OR) service:** An aeronautical mobile-satellite service intended for communications, including those relating to flight coordination, primarily outside national and international civil air routes.

**Aeronautical mobile-satellite (R) service:** An aeronautical mobile-satellite service reserved for communications relating to safety and regularity of flights, primarily along national or international civil air routes.

---

\* (OR): off-route

\*\* (R): route

**Aeronautical radionavigation service:** A radionavigation service intended for the benefit and for the safe operation of aircraft.

**Aeronautical radionavigation-satellite service:** A radionavigation-satellite service in which earth stations are located on board aircraft.

**Amateur service:** A radiocommunication service for the purpose of self-training, intercommunication and technical investigations carried out by amateurs, that is, by duly authorized persons interested in radio technique solely with a personal aim and without pecuniary interest.

**Amateur-satellite service:** A radiocommunication service using space stations on earth satellites for the same purpose as those of the amateur service.

**Broadcasting service:** A radiocommunication service in which the transmissions are intended for direct reception by the general public. This service may include sound transmissions, television transmissions or other types of transmission.

**Broadcasting-satellite service:** A radiocommunication service in which signals transmitted or retransmitted by space stations are intended for direct reception by the general public.

In the broadcasting-satellite service, the term “direct reception” shall encompass both individual reception and community reception.

**Earth exploration-satellite service:** A radiocommunication service between earth stations and one or more space stations, which may include links between space stations, in which:

- information relating to the characteristics of the Earth and its natural phenomena, including data relating to the state of the environment, is obtained from active sensors or passive sensors on Earth satellites;
- similar information is collected from airborne or Earth-based platforms;
- such information may be distributed to earth stations within the system concerned;
- platform interrogation may be included.

This service may also include feeder links necessary for its operation.

**Fixed service:** A radiocommunication service between specified fixed points.

**Fixed-satellite service:** A radiocommunication service between earth stations at given positions, when one or more satellites are used; the given position may be a specified point or any fixed point within specified areas; in some cases, this service includes satellite-to-satellite links, which may also be operated in the inter-satellite service; the fixed-satellite service may also include feeder links for other space radiocommunication services.

**Inter-satellite service:** A radiocommunication service providing links between artificial satellites.

**Land mobile service:** A mobile service between base stations and land mobile stations or between land mobile stations.

**Land mobile-satellite service:** A mobile-satellite service in which mobile earth stations are located on land.

**Maritime mobile service:** A mobile service between coast stations and ship stations, or between ship stations, or between associated on-board communication stations; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.

**Maritime mobile-satellite service:** A mobile-satellite service in which mobile earth stations are located on board ships; survival craft stations and emergency position-indicating radiobeacon stations may also participate in this service.

**Maritime radionavigation service:** A radionavigation service intended for the benefit and for the safe operation of ships.

**Maritime radionavigation-satellite service:** A radionavigation-satellite service in which earth stations are located on board ships.

**Meteorological aids service:** A radiocommunication service used for meteorological, including hydrological, observations and exploration.

**Meteorological-satellite service:** An earth exploration-satellite service for meteorological purposes.

**Mobile service:** A radiocommunication service between mobile and land stations, or between mobile stations.

**Mobile-satellite service:** A radiocommunication service:

- between mobile earth stations and one or more space stations, or between space stations used by this service; or
- between mobile earth stations by means of one or more space stations.

This service may also include feeder links necessary for its operation.

**Radio astronomy service:** A service involving the use of radio astronomy.

**Radiocommunication service:** A service as defined in this Section involving the transmission, emission and/or reception of radio waves for specific telecommunication purposes.

In these Regulations, unless otherwise stated, any radiocommunication service relates to terrestrial radiocommunication.

**Radiodetermination service:** A radiocommunication service for the purpose of radiodetermination.

**Radiodetermination-satellite service:** A radiocommunication service for the purpose of radiodetermination involving the use of one or more space stations.

This service may also include feeder links necessary for its own operation.

**Radiolocation service:** A radiodetermination service for the purpose of radiolocation.

**Radiolocation-satellite service:** A radiodetermination-satellite service used for the purpose of radiolocation.

This service may also include feeder links necessary for its operation.

**Radionavigation service:** A radiodetermination service for the purpose of radionavigation.

**Radionavigation-satellite service:** A radiodetermination-satellite service used for the purpose of radionavigation.

This service may also include feeder links necessary for its operation.

**Safety service:** Any radiocommunication service used permanently or temporarily for the safeguarding of human life and property.

**Space operation service:** A radiocommunication service concerned exclusively with the operation of spacecraft, in particular space tracking, space telemetry and space telecommand.

These functions will normally be provided within the service in which the space station is operating.

**Space research service:** A radiocommunication service in which spacecraft or other objects in space are used for scientific or technological research purposes.

**Standard frequency and time signal service:** A radiocommunication service for scientific, technical and other purposes, providing the transmission of specified frequencies, time signals, or both, of stated high precision, intended for general reception.

**Standard frequency and time signal-satellite service:** A radiocommunication service using space stations on earth satellites for the same purposes as those of the standard frequency and time signal service.

This service may also include feeder links necessary for its operation.

### **3 - Categories of services**

#### ***Primary and secondary services:***

In the Canadian Table, where a band is indicated as allocated to more than one service, services are listed in the following order:

- (a) primary services are printed in “all capital letters” (example: FIXED); and
- (b) secondary services are printed in “normal characters” (example: Amateur).

Additional remarks are printed in “normal characters” (example: MOBILE except aeronautical mobile).

For each category, services are listed in alphabetical order, according to the French language, but that order does not indicate relative priority.

#### ***Stations of a secondary service:***

- (a) shall not cause harmful interference to stations of primary service to which frequencies are already assigned or to which frequencies may be assigned at a later date;
- (b) cannot claim protection from harmful interference from stations of a primary service to which frequencies are already assigned or may be assigned at a later date; and
- (c) can claim protection, however, from harmful interference from stations of the same or other secondary service(s) to which frequencies may be assigned at a later date.

The frequency band referred to in each allocation is indicated in the top left-hand corner of the part of the Table concerned.


The footnote references that appear in the Table below the allocated service or services apply to more than one of the allocated services, or to the whole of the allocation concerned.

The footnote references which appear to the right of the name of a service are applicable only to that particular service.

### **4 – ITU Regions**

These definitions and provisions are extracted from the *ITU Radio Regulations*.

**5.2** For the allocation of frequencies, the world has been divided into three Regions as shown on the following map and described in Nos. **5.3** to **5.5**:



5-01

**5.3** *Region 1:* Region 1 includes the area limited on the east by line A (lines A, B and C are defined below) and on the west by line B, excluding any of the territory of the Islamic Republic of Iran which lies between these limits. It also includes the whole of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation which lies between lines A and C.

**5.4** *Region 2:* Region 2 includes the area limited on the east by line B and on the west by line C.

**5.5** *Region 3:* Region 3 includes the area limited on the east by line C and on the west by line A, except any of the territory of Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Turkey and Ukraine and the area to the north of Russian Federation. It also includes that part of the territory of the Islamic Republic of Iran lying outside of those limits.

## **Canadian Table of Frequency Allocations**

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

0 - 8.3	(Not allocated)
	C1 C2
8.3 - 9	METEOROLOGICAL AIDS 5.54A
9 - 11.3	METEOROLOGICAL AIDS 5.54A RADIONAVIGATION
11.3 - 14	RADIONAVIGATION
14 - 19.95	FIXED MARITIME MOBILE 5.57  5.56
19.95 - 20.05	STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)
20.05 - 70	FIXED MARITIME MOBILE 5.57  5.56
70 - 90	FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 Radiolocation  5.61
90 - 110	RADIONAVIGATION Fixed  5.64

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**kHz**

110 - 130	FIXED MARITIME MOBILE MARITIME RADIONAVIGATION 5.60 Radiolocation  5.61 5.64
130 - 135.7	FIXED MARITIME MOBILE  5.64
135.7 - 137.8	FIXED MARITIME MOBILE Amateur 5.67A  5.64
137.8 - 160	FIXED MARITIME MOBILE  5.64
160 - 190	FIXED
190 - 200	AERONAUTICAL RADIONAVIGATION
200 - 285	AERONAUTICAL RADIONAVIGATION Aeronautical mobile
285 - 315	AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73
315 - 325	MARITIME RADIONAVIGATION (radiobeacons) 5.73 Aeronautical radionavigation
325 - 335	AERONAUTICAL RADIONAVIGATION Aeronautical mobile Maritime radionavigation (radiobeacons)

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

335 - 405	AERONAUTICAL RADIONAVIGATION Aeronautical mobile
405 - 415	RADIONAVIGATION 5.76 Aeronautical mobile
415 - 472	MARITIME MOBILE 5.79  5.82
472 - 479	MARITIME MOBILE 5.79 Amateur 5.80A  5.82
479 - 495	MARITIME MOBILE 5.79 5.79A  5.82
495 - 505	MARITIME MOBILE
505 - 510	MARITIME MOBILE 5.79
510 - 525	MARITIME MOBILE 5.79A 5.84 AERONAUTICAL RADIONAVIGATION
525 - 535	BROADCASTING 5.86 AERONAUTICAL RADIONAVIGATION
535 - 1 605	BROADCASTING
1 605 - 1 705	BROADCASTING 5.89  5.90
1 705 - 1 800	FIXED MOBILE RADIOLOCATION AERONAUTICAL RADIONAVIGATION

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

1 800 - 1 850	AMATEUR
1 850 - 2 000	AMATEUR RADIOLOCATION RADIONAVIGATION
2 000 - 2 065	FIXED MOBILE
2 065 - 2 107	MARITIME MOBILE 5.105  C3
2 107 - 2 170	FIXED MOBILE
2 170 - 2 173.5	MARITIME MOBILE
2 173.5 - 2 190.5	MOBILE (distress and calling)  5.108 5.109 5.110 5.111
2 190.5 - 2 194	MARITIME MOBILE
2 194 - 2 495	FIXED MOBILE
2 495 - 2 501	STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)
2 501 - 2 502	STANDARD FREQUENCY AND TIME SIGNAL Space research
2 502 - 2 505	STANDARD FREQUENCY AND TIME SIGNAL
2 505 - 2 850	FIXED MOBILE

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
kHz

2 850 - 3 025	AERONAUTICAL MOBILE (R)
	5.111 5.115
3 025 - 3 155	AERONAUTICAL MOBILE (OR)
	C5
3 155 - 3 230	FIXED MOBILE except aeronautical mobile (R)
	5.116
3 230 - 3 400	FIXED MOBILE except aeronautical mobile Radiolocation
	5.116
3 400 - 3 500	AERONAUTICAL MOBILE (R)
3 500 - 4 000	AMATEUR
4 000 - 4 063	FIXED MARITIME MOBILE 5.127
4 063 - 4 438	MARITIME MOBILE 5.79A 5.109 5.110 5.130 5.131 5.132 5.128
4 438 - 4 488	FIXED MOBILE except aeronautical mobile (R) RADIOLOCATION 5.132A
4 488 - 4 650	FIXED MOBILE except aeronautical mobile (R)
4 650 - 4 700	AERONAUTICAL MOBILE (R)

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

4 700 - 4 750	AERONAUTICAL MOBILE (OR)
	C5
4 750 - 4 850	FIXED MOBILE except aeronautical mobile (R)
4 850 - 4 995	FIXED LAND MOBILE
4 995 - 5 003	STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)
5 003 - 5 005	STANDARD FREQUENCY AND TIME SIGNAL Space research
5 005 - 5 060	FIXED
5 060 - 5 250	FIXED Mobile except aeronautical mobile
5 250 - 5 275	FIXED MOBILE except aeronautical mobile RADIOLOCATION 5.132A
5 275 - 5 351.5	FIXED MOBILE except aeronautical mobile
	C21
5 351.5 - 5 366.5	FIXED MOBILE except aeronautical mobile Amateur
	C21
5 366.5 - 5 450	FIXED MOBILE except aeronautical mobile
	C21

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
kHz

5 450 - 5 480	AERONAUTICAL MOBILE (R)
5 480 - 5 680	AERONAUTICAL MOBILE (R)
	5.111 5.115
5 680 - 5 730	AERONAUTICAL MOBILE (OR)
	5.111 5.115 C5
5 730 - 5 900	FIXED MOBILE except aeronautical mobile (R)
5 900 - 5 950	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.134
	5.136 C9
5 950 - 6 200	BROADCASTING
6 200 - 6 525	MARITIME MOBILE 5.109 5.110 5.130 5.132
	C4
6 525 - 6 685	AERONAUTICAL MOBILE (R)
6 685 - 6 765	AERONAUTICAL MOBILE (R)
6 765 - 7 000	FIXED MOBILE except aeronautical mobile (R)
	5.138
7 000 - 7 100	AMATEUR AMATEUR-SATELLITE

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

7 100 - 7 300	AMATEUR
	5.142
7 300 - 7 400	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.134
	5.143 5.143D C9
7 400 - 8 100	FIXED MOBILE except aeronautical mobile (R)
8 100 - 8 195	FIXED MARITIME MOBILE
8 195 - 8 815	MARITIME MOBILE 5.109 5.110 5.132 5.145
	5.111
8 815 - 8 965	AERONAUTICAL MOBILE (R)
8 965 - 9 040	AERONAUTICAL MOBILE (OR)
	C5
9 040 - 9 400	FIXED
9 400 - 9 500	FIXED BROADCASTING 5.134
	5.146 C9
9 500 - 9 900	BROADCASTING
	5.147
9 900 - 9 995	FIXED

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
kHz

9 995 - 10 003	STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz)
	5.111
10 003 - 10 005	STANDARD FREQUENCY AND TIME SIGNAL Space research
	5.111
10 005 - 10 100	AERONAUTICAL MOBILE (R)
	5.111
10 100 - 10 150	AMATEUR C6
10 150 - 11 175	FIXED Mobile except aeronautical mobile (R)
11 175 - 11 275	AERONAUTICAL MOBILE (OR)
	C5
11 275 - 11 400	AERONAUTICAL MOBILE (R)
11 400 - 11 600	FIXED
11 600 - 11 650	FIXED BROADCASTING 5.134
	5.146 C9
11 650 - 12 050	BROADCASTING
	5.147
12 050 - 12 100	FIXED BROADCASTING 5.134
	5.146 C9

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

12 100 - 12 230	FIXED
12 230 - 13 200	MARITIME MOBILE 5.109 5.110 5.132 5.145
13 200 - 13 260	AERONAUTICAL MOBILE (OR)  C5
13 260 - 13 360	AERONAUTICAL MOBILE (R)
13 360 - 13 410	FIXED RADIO ASTRONOMY  5.149
13 410 - 13 450	FIXED MOBILE except aeronautical mobile (R)
13 450 - 13 550	FIXED MOBILE except aeronautical mobile (R) RADIOLOCATION 5.132A
13 550 - 13 570	FIXED MOBILE except aeronautical mobile (R)  5.150
13 570 - 13 600	FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.134  5.151 C9
13 600 - 13 800	BROADCASTING
13 800 - 13 870	FIXED BROADCASTING 5.134 Mobile except aeronautical mobile (R)  5.151 C9

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

13 870 - 14 000	FIXED Mobile except aeronautical mobile (R)
14 000 - 14 250	AMATEUR AMATEUR-SATELLITE
14 250 - 14 350	AMATEUR
14 350 - 14 990	FIXED Mobile except aeronautical mobile (R)
14 990 - 15 005	STANDARD FREQUENCY AND TIME SIGNAL (15 000 kHz)  5.111
15 005 - 15 010	STANDARD FREQUENCY AND TIME SIGNAL Space research
15 010 - 15 100	AERONAUTICAL MOBILE (OR)  C5
15 100 - 15 600	BROADCASTING
15 600 - 15 800	BROADCASTING 5.134 FIXED  5.146 C9
15 800 - 16 100	FIXED
16 100 - 16 200	FIXED RADIOLOCATION 5.145A
16 200 - 16 360	FIXED
16 360 - 17 410	MARITIME MOBILE 5.109 5.110 5.132 5.145

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
kHz

17 410 - 17 480	FIXED
17 480 - 17 550	FIXED BROADCASTING 5.134  5.146 C9
17 550 - 17 900	BROADCASTING
17 900 - 17 970	AERONAUTICAL MOBILE (R)
17 970 - 18 030	AERONAUTICAL MOBILE (OR)  C5
18 030 - 18 052	FIXED
18 052 - 18 068	FIXED Space research
18 068 - 18 168	AMATEUR AMATEUR-SATELLITE
18 168 - 18 780	FIXED
18 780 - 18 900	MARITIME MOBILE
18 900 - 19 020	FIXED BROADCASTING 5.134  5.146 C9
19 020 - 19 680	FIXED
19 680 - 19 800	MARITIME MOBILE 5.132
19 800 - 19 990	FIXED

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
kHz

19 990 - 19 995	STANDARD FREQUENCY AND TIME SIGNAL Space research  5.111
19 995 - 20 010	STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz)  5.111
20 010 - 21 000	FIXED Mobile
21 000 - 21 450	AMATEUR AMATEUR-SATELLITE
21 450 - 21 850	BROADCASTING
21 850 - 21 870	FIXED
21 870 - 21 924	FIXED 5.155B
21 924 - 22 000	AERONAUTICAL MOBILE (R)
22 000 - 22 855	MARITIME MOBILE 5.132
22 855 - 23 000	FIXED
23 000 - 23 200	FIXED Mobile except aeronautical mobile (R)
23 200 - 23 350	AERONAUTICAL MOBILE (OR) C5
23 350 - 24 000	FIXED MOBILE except aeronautical mobile 5.157
24 000 - 24 450	FIXED LAND MOBILE

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
kHz

24 450 - 24 650	FIXED LAND MOBILE RADIOLOCATION 5.132A
24 650 - 24 890	FIXED LAND MOBILE
24 890 - 24 990	AMATEUR AMATEUR-SATELLITE
24 990 - 25 005	STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)
25 005 - 25 010	STANDARD FREQUENCY AND TIME SIGNAL Space research
25 010 - 25 070	FIXED MOBILE except aeronautical mobile
25 070 - 25 210	MARITIME MOBILE
25 210 - 25 550	FIXED MOBILE except aeronautical mobile
25 550 - 25 670	RADIO ASTRONOMY  5.149

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

25.67 - 26.1	BROADCASTING
26.1 - 26.175	MARITIME MOBILE 5.132
26.175 - 26.2	FIXED MOBILE except aeronautical mobile
26.2 - 26.42	FIXED MOBILE except aeronautical mobile RADIOLOCATION 5.132A
26.42 - 27.5	FIXED MOBILE except aeronautical mobile
	5.150
27.5 - 28	MOBILE Fixed
28 - 29.7	AMATEUR AMATEUR-SATELLITE
29.7 - 30.005	MOBILE Fixed
30.005 - 30.01	MOBILE SPACE RESEARCH Fixed
30.01 - 37.5	MOBILE Fixed
37.5 - 38.25	MOBILE Fixed Radio astronomy
	5.149
38.25 - 39.986	MOBILE Fixed
39.986 - 40.02	

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

	MOBILE Fixed Space research
40.02 - 40.98	MOBILE Fixed  5.150
40.98 - 41.015	MOBILE Fixed Space research
41.015 - 50	MOBILE Fixed
50 - 54	AMATEUR
54 - 72	BROADCASTING
72 - 73	FIXED MOBILE
73 - 74.6	RADIO ASTRONOMY
74.6 - 74.8	FIXED MOBILE
74.8 - 75.2	AERONAUTICAL RADIONAVIGATION  5.180
75.2 - 76	FIXED MOBILE

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
MHz

76 - 108	BROADCASTING
108 - 117.975	AERONAUTICAL RADIONAVIGATION  5.197A
117.975 - 137	AERONAUTICAL MOBILE (R)  5.111 5.200
137 - 138	METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE OPERATION (space-to-Earth) SPACE RESEARCH (space-to-Earth)  5.208
138 - 144	FIXED LAND MOBILE Space research (space-to-Earth)
144 - 146	AMATEUR AMATEUR-SATELLITE
146 - 148	AMATEUR
148 - 149.9	FIXED LAND MOBILE MOBILE-SATELLITE (Earth-to-space) 5.209 C26  5.218 5.219
149.9 - 150.05	MOBILE-SATELLITE (Earth-to-space) 5.209  5.220

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

150.05 - 156.4875	MOBILE Fixed	5.226
156.4875 - 156.5625	MARITIME MOBILE (distress and calling via DSC)	5.111 5.226 C32
156.5625 - 156.7625	MOBILE Fixed	5.226
156.7625 - 156.7875	MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space)	5.111 5.226 5.228
156.7875 - 156.8125	MARITIME MOBILE (distress and calling)	5.111 5.226
156.8125 - 156.8375	MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space)	5.111 5.226 5.228
156.8375 – 161.9375	MOBILE Fixed	5.226
161.9375 - 161.9625	MOBILE Fixed Maritime mobile-satellite (Earth-to-space)	5.228AA 5.226

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

161.9625 - 161.9875	AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space)  5.228C 5.228D C53
161.9875 - 162.0125	MOBILE Fixed Maritime mobile-satellite (Earth-to-space) 5.228AA  5.226
162.0125 - 162.0375	AERONAUTICAL MOBILE (OR) MARITIME MOBILE MOBILE-SATELLITE (Earth-to-space)  5.228C 5.228D C53
162.0375 - 174	MOBILE Fixed  5.226
174 - 216	BROADCASTING
216 - 219	FIXED MARITIME MOBILE LAND MOBILE 5.242
219 - 220	FIXED MARITIME MOBILE LAND MOBILE 5.242 Amateur C11
220 - 222	FIXED MOBILE Amateur C11
222 - 225	AMATEUR

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

225 - 312	FIXED MOBILE	5.111 5.254 5.256 C5
312 - 315	FIXED MOBILE Mobile-satellite (Earth-to-space)	5.254 5.255 C5
315 - 328.6	FIXED MOBILE	5.254 C5
328.6 - 335.4	AERONAUTICAL RADIONAVIGATION	5.258
335.4 - 387	FIXED MOBILE	5.254 C5
387 - 390	FIXED MOBILE Mobile-satellite (space-to-Earth)	5.208A 5.208B 5.254 5.255 C5
390 - 399.9	FIXED MOBILE	5.254 C5
399.9 - 400.05	MOBILE-SATELLITE (Earth-to-space)	5.209  5.220 C19

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

400.05 - 400.15	STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz)
	5.261
400.15 - 401	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 Space operation (space-to-Earth)
	5.264
401 - 402	METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile
402 - 403	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile
403 - 406	METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile
	5.265
406 - 406.1	MOBILE-SATELLITE (Earth-to-space)
	5.265 5.266 5.267
406.1 - 410	MOBILE except aeronautical mobile RADIO ASTRONOMY Fixed
	5.149 5.265
410 - 414	MOBILE except aeronautical mobile

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

	SPACE RESEARCH (space-to-space) 5.268 Fixed
414 - 415	FIXED SPACE RESEARCH (space-to-space) 5.268 Mobile except aeronautical mobile
415 - 419	MOBILE except aeronautical mobile SPACE RESEARCH (space-to-space) 5.268 Fixed
419 - 420	FIXED SPACE RESEARCH (space-to-space) 5.268 Mobile except aeronautical mobile
420 - 430	MOBILE except aeronautical mobile Fixed  C10
430 - 432	RADIOLOCATION Amateur
432 - 438	RADIOLOCATION Amateur Earth exploration-satellite (active) 5.279A  5.282
438 - 450	RADIOLOCATION 5.285 Amateur 5.284  5.286
450 - 455	MOBILE 5.286AA C23 Fixed  5.209 5.286 5.286A 5.286B 5.286C 5.286D C26A C26B

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

455 - 456	FIXED MOBILE 5.286AA C23 MOBILE-SATELLITE (Earth-to-space) 5.209 5.286A 5.286B 5.286C C26A C26B
456 - 459	MOBILE 5.286AA 5.287 C23 Fixed
459 - 460	FIXED MOBILE 5.286AA C23 MOBILE-SATELLITE (Earth-to-space) 5.209 5.286A 5.286B 5.286C C26A C26B
460 - 470	MOBILE 5.286AA 5.287 C23 Fixed  5.289
470 - 608	BROADCASTING  5.293 5.295 5.297 C24 C24A
608 - 614	RADIO ASTRONOMY Mobile-satellite except aeronautical mobile-satellite (Earth-to-space)
614 - 698	FIXED MOBILE BROADCASTING  5.293 5.308A C24 C24A
698 - 806	FIXED MOBILE 5.317A C7 BROADCASTING  5.293

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

806 - 890	MOBILE 5.317A C7 Fixed  5.317 5.318
890 - 902	FIXED MOBILE except aeronautical mobile 5.317A C7 Radiolocation C5A  5.318
902 - 928	FIXED RADIOLOCATION C5A Amateur Mobile except aeronautical mobile  5.150
928 - 929	FIXED MOBILE except aeronautical mobile 5.317A C7 Radiolocation C5A
929 - 932	MOBILE except aeronautical mobile 5.317A C7 Fixed Radiolocation C5A
932 - 932.5	FIXED MOBILE except aeronautical mobile 5.317A C7 Radiolocation C5A
932.5 - 935	FIXED Mobile except aeronautical mobile 5.317A C7 Radiolocation C5A
935 - 941	MOBILE except aeronautical mobile 5.317A C7 Fixed Radiolocation C5A

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

941 - 941.5	FIXED MOBILE except aeronautical mobile 5.317A C7 Radiolocation C5A
941.5 - 942	FIXED Mobile except aeronautical mobile 5.317A C7 Radiolocation C5A
942 - 944	FIXED Mobile 5.317A C7
944 - 952	FIXED MOBILE 5.317A C7
952 - 956	FIXED MOBILE 5.317A C7
956 - 960	FIXED Mobile 5.317A C7
960 - 1 164	AERONAUTICAL MOBILE (R) 5.327A AERONAUTICAL RADIONAVIGATION 5.328  5.328AA
1 164 - 1 215 5.328B	AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)  5.328A
1 215 - 1 240 5.328B 5.329 5.329A	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)  SPACE RESEARCH (active)
	5.332

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
MHz

1 240 - 1 300	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space)
5.328B 5.329 5.329A	SPACE RESEARCH (active) Amateur
	5.282 5.331 5.332 5.335 5.335A
1 300 - 1 350	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337 RADIONAVIGATION-SATELLITE (Earth-to-space)
	5.149 5.337A
1 350 - 1 390	FIXED MOBILE RADIOLOCATION
	5.149 5.334 5.338A 5.339 C5 C27
1 390 - 1 400	FIXED MOBILE
	5.149 5.339 C27B
1 400 - 1 427	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340 5.341
1 427 - 1 429	SPACE OPERATION (Earth-to-space) FIXED
	5.338A 5.341

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

1 429 - 1 452	FIXED MOBILE	5.338A 5.341
1 452 - 1 492	FIXED MOBILE 5.343 BROADCASTING	5.341 5.345
1 492 - 1 525	FIXED MOBILE	5.341
1 525 - 1 530	MOBILE-SATELLITE (space-to-Earth) Earth Exploration-Satellite Space Operation (space-to-Earth)	5.208B 5.351A 5.341 5.351 5.354
1 530 - 1 535	MOBILE-SATELLITE (space-to-Earth) Earth Exploration-Satellite	5.208B 5.351A 5.353A 5.341 5.351 5.354
1 535 - 1 559	MOBILE-SATELLITE (space-to-Earth)	5.208B 5.351A 5.341 5.351 5.353A 5.354 5.356 5.357 5.357A
1 559 - 1 610	AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A	5.341
1 610 - 1 610.6	MOBILE-SATELLITE (Earth-to-space) AERONAUTICAL RADIONAVIGATION	5.351A 5.341 5.364 5.366 5.367 5.368 5.372

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

1 610.6 - 1 613.8	MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION  5.149 5.341 5.364 5.366 5.367 5.368 5.372
1 613.8 - 1 626.5	MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B  5.341 5.364 5.365 5.366 5.367 5.368 5.372
1 626.5 - 1 660	MOBILE-SATELLITE (Earth-to-space) 5.351A  5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376
1 660 - 1 660.5	MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY  5.149 5.341 5.351 5.354 5.376A
1 660.5 - 1 668	RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed  5.149 5.341 5.379A
1 668 - 1 668.4	RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed  5.149 5.341 5.379A
1 668.4 - 1 670	METEOROLOGICAL AIDS FIXED RADIO ASTRONOMY  5.149 5.341 5.379D 5.379E

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

1 670 - 1 675	METEOROLOGICAL AIDS FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile  5.341 5.379D 5.379E
1 675 - 1 700	METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth)  5.289 5.341
1 700 - 1 710	FIXED METEOROLOGICAL-SATELLITE (space-to-Earth)  5.289 5.341
1 710 – 1755	FIXED MOBILE 5.384A  5.149 5.341 5.385 5.386
1 755 - 1 780	FIXED MOBILE 5.384A  5.386
1 780 - 1 850	FIXED Mobile 5.384A C5  5.386
1 850 - 2 000	FIXED MOBILE 5.384A 5.388A  5.388 5.389B C35

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

2 000 - 2 020	MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A  5.388 5.389A 5.389C 5.389E C36
2 020 - 2 025	FIXED MOBILE  5.388 C37
2 025 - 2 110	EARTH EXPLORATION-SATELLITE (Earth-to-space)(space-to-space) FIXED SPACE OPERATION (Earth-to-space) (space-to-space) SPACE RESEARCH (Earth-to-space) (space-to-space) Mobile 5.391 C5  5.392
2 110 - 2 120	FIXED MOBILE 5.388A SPACE RESEARCH (deep space) (Earth-to-space)  5.388
2 120 - 2 180	FIXED MOBILE 5.388A  5.388
2 180 - 2 200	MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A  5.388 5.389A C36

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

2 200 - 2 290	<p>EARTH EXPLORATION-SATELLITE (space-to-Earth)(space-to-space)          FIXED          SPACE OPERATION (space-to-Earth) (space-to-space)          SPACE RESEARCH (space-to-Earth) (space-to-space)          Mobile 5.391 C5</p> <p style="text-align: center;">5.392</p>
2 290 - 2 300	<p>FIXED          SPACE RESEARCH (deep space) (space-to-Earth)          Mobile C5</p>
2 300 - 2 450	<p>FIXED          MOBILE 5.384A 5.394 C34          RADIOLOCATION          Amateur</p> <p style="text-align: center;">5.150 5.282 5.393 5.396 C12 C13 C13A C17</p>
2 450 - 2 483.5	<p>FIXED          MOBILE          RADIOLOCATION</p> <p style="text-align: center;">5.150</p>
2 483.5 - 2 500	<p>FIXED C38          MOBILE-SATELLITE (space-to-Earth) 5.351A          RADIOLOCATION          RADIODETERMINATION-SATELLITE (space-to-Earth) 5.398</p> <p style="text-align: center;">5.150 5.402</p>
2 500 - 2 596	<p>FIXED          MOBILE except aeronautical mobile 5.384A</p> <p style="text-align: center;">5.416</p>

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

2 596 - 2 655	BROADCASTING FIXED MOBILE except aeronautical mobile 5.384A  5.339 5.416
2 655 - 2 686	BROADCASTING FIXED MOBILE except aeronautical mobile 5.384A Earth Exploration-Satellite (passive) Radio Astronomy Space research (passive)  5.149 5.416
2 686 - 2 690	FIXED MOBILE except aeronautical mobile 5.384A Earth exploration-satellite (passive) Radio Astronomy Space research (passive)  5.149
2 690 - 2 700	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)  5.340
2 700 - 2 900	AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation  5.423 5.424 C14 C54
2 900 - 3 100	RADIOLOCATION 5.424A RADIONAVIGATION 5.426  5.425 5.427

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

3 100 - 3 300	RADIOLOCATION Earth Exploration-Satellite (active) Space research (active)
	5.149
3 300 - 3 450	RADIOLOCATION 5.433 C5 Amateur
	5.149 5.282
3 450 - 3 475	FIXED RADIOLOCATION 5.433 Amateur
	C15
3 475 - 3 500	FIXED MOBILE RADIOLOCATION 5.433 Amateur
	C15
3 500 - 3 650	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE
	C20
3 650 - 3 700	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE
	C33
3 700 - 4 200	FIXED FIXED-SATELLITE (space-to-Earth)

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

4 200 - 4 400	AERONAUTICAL MOBILE (R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438  5.437 5.440
4 400 - 4 500	FIXED MOBILE 5.440A  C25
4 500 - 4 800	FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A  C16A C25
4 800 - 4 825	FIXED MOBILE 5.440A Radio Astronomy  C25
4 825 - 4 835	FIXED MOBILE 5.440A 5.442  5.149 5.443 C25
4 835 - 4 950	FIXED MOBILE 5.440A Radio Astronomy  C25
4 950 - 4 990	FIXED MOBILE 5.442  5.149 5.339 5.443

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

4 990 - 5 000	FIXED RADIO ASTRONOMY Space research (passive)
	5.149
5 000 - 5 010	AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)
5 010 - 5 030	AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (Earth-to-space)(space-to-space)
	5.328B 5.443B
5 030 - 5 091	AERONAUTICAL MOBILE (R) 5.443C AERONAUTICAL MOBILE-SATELLITE (R) 5.443D AERONAUTICAL RADIONAVIGATION
	5.444
5 091 - 5 150	FIXED-SATELLITE (Earth-to-space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE-SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION
	5.444
5 150 - 5 250	FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B C39B AERONAUTICAL RADIONAVIGATION
	5.446 5.447B 5.447C
5 250 - 5 255	EARTH EXPLORATION-SATELLITE (active) MOBILE except aeronautical mobile 5.446A 5.447F C39B RADIOLOCATION SPACE RESEARCH 5.447D
	5.448A

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

5 255 - 5 350	<p>EARTH EXPLORATION-SATELLITE (active)          MOBILE except aeronautical mobile 5.446A 5.447F C39B          RADIOLOCATION          SPACE RESEARCH (active)</p> <p style="text-align: center;">5.448A</p>
5 350 - 5 460	<p>EARTH EXPLORATION-SATELLITE (active) 5.448B          RADIOLOCATION 5.448D          AERONAUTICAL RADIONAVIGATION 5.449          SPACE RESEARCH (active) 5.448C</p>
5 460 - 5 470	<p>EARTH EXPLORATION-SATELLITE (active)          RADIOLOCATION 5.448D          RADIONAVIGATION 5.449          SPACE RESEARCH (active)</p> <p style="text-align: center;">5.448B</p>
5 470 - 5 570	<p>EARTH EXPLORATION-SATELLITE (active)          MOBILE except aeronautical mobile 5.446A 5.450A C39B          RADIOLOCATION 5.450B          MARITIME RADIONAVIGATION          SPACE RESEARCH (active)</p> <p style="text-align: center;">5.448B</p>
5 570 - 5 650	<p>MOBILE except aeronautical mobile 5.446A 5.450A C39B          RADIOLOCATION 5.450B          MARITIME RADIONAVIGATION</p> <p style="text-align: center;">5.452</p>
5 650 - 5 725	<p>MOBILE except aeronautical mobile 5.446A 5.450A C39B          RADIOLOCATION          Amateur          Space research (deep space)</p> <p style="text-align: center;">5.282</p>

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**MHz**

5 725 - 5 850	RADIOLOCATION Amateur  5.150 C39A
5 850 - 5 925	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE Amateur Radiolocation  5.150 C39C
5 925 - 6 700	FIXED FIXED-SATELLITE (Earth-to-space) 5.457A  5.149 5.440 5.458
6 700 - 7 075	FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 C40  5.458 5.458A 5.458B
7 075 - 7 145	FIXED  5.458
7 145 - 7 190	FIXED SPACE RESEARCH (deep space) (Earth-to-space)  5.458
7 190 - 7 235	EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A 5.460B FIXED SPACE RESEARCH (Earth-to-space) 5.460  5.458 5.459

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
MHz

7 235 - 7 250	EARTH EXPLORATION-SATELLITE (Earth-to-space) 5.460A FIXED  5.458
7 250 - 7 300	FIXED-SATELLITE (space-to-Earth) C49  5.461 C50
7 300 - 7 450	FIXED FIXED-SATELLITE (space-to-Earth) C49  5.461 C50
7 450 - 7 550	FIXED FIXED-SATELLITE (space-to-Earth) C49 METEOROLOGICAL-SATELLITE (space-to-Earth)  5.461A
7 550 - 7 750	FIXED FIXED-SATELLITE (space-to-Earth) C49
7 750 - 7 900	FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) 5.461B
7 900 - 7 975	FIXED FIXED-SATELLITE (Earth-to-space) C49  5.461
7 975 - 8 025	FIXED-SATELLITE (Earth-to-space) C49  5.461 C50
8 025 - 8 175	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) C49

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
MHz

8 175 - 8 215	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) C49 METEOROLOGICAL-SATELLITE (Earth-to-space)
8 215 - 8 400	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) C49
8 400 - 8 500	FIXED SPACE RESEARCH (space-to-Earth) 5.465
8 500 - 8 550	RADIOLOCATION
8 550 - 8 650	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active)  5.469A
8 650 - 8 750	RADIOLOCATION
8 750 - 8 850	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470
8 850 - 9 000	RADIOLOCATION MARITIME RADIONAVIGATION 5.472
9 000 - 9 200	RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.337  5.473A
9 200 - 9 300	EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472  5.474 5.474D

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
MHz

9 300 - 9 500	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active)
	5.427 5.474 5.475 5.475A 5.475B 5.476A
9 500 - 9 800	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active)
	5.476A
9 800 - 9 900	RADIOLOCATION Earth Exploration-Satellite (active) Fixed Space research (active)
	5.478A 5.478B
9 900 – 10 000	EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Fixed
	5.474D 5.479

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

10 - 10.4	EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION Amateur  5.474D 5.479
10.4 - 10.45	RADIOLOCATION Amateur
10.45 - 10.5	RADIOLOCATION Amateur Amateur-Satellite
10.5 - 10.55	FIXED RADIOLOCATION
10.55 - 10.6	FIXED
10.6 - 10.68	EARTH EXPLORATION-SATELLITE (passive) FIXED RADIO ASTRONOMY SPACE RESEARCH (passive)  5.149 5.482 5.482A
10.68 - 10.7	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)  5.340
10.7 - 10.95	FIXED FIXED-SATELLITE (space-to-Earth) 5.441 C16 C16C C16I
10.95 - 11.2	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B  C16H

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

11.2 - 11.45	FIXED FIXED-SATELLITE (space-to-Earth) 5.441
11.45 - 11.7	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B C16I C16J  C16H
11.7 - 12.2	FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.488 C16I C16J  5.485
12.2 - 12.7	FIXED BROADCASTING BROADCASTING-SATELLITE 5.492 C43  5.487A 5.488 5.490
12.7 - 12.75	FIXED FIXED-SATELLITE (Earth-to-space)
12.75 - 13.25	FIXED FIXED-SATELLITE (Earth-to-space) 5.441 C16C
13.25 - 13.4	EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active)  5.498A
13.4 - 13.65	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal-satellite (Earth-to-space)  5.501B

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

13.65 - 13.75	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space)  5.501B
13.75 - 14	FIXED-SATELLITE (Earth-to-space) 5.484A C16I C16J RADIOLOCATION Earth Exploration-Satellite Standard frequency and time signal-satellite (Earth-to-space)  5.502 5.503
14 - 14.47	FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.484B 5.506 C16I C16J Mobile-Satellite (Earth-to-space) 5.506A C41A  5.504A
14.47 - 14.5	FIXED-SATELLITE (Earth-to-space) 5.457A 5.484A 5.506 C16I C16J Mobile-Satellite (Earth-to-space) 5.506A C41A Radio Astronomy  5.149 5.504A
14.5 - 14.66	FIXED Mobile C5
14.66 - 14.82	FIXED MOBILE C5  C41
14.82 - 15.135	FIXED Mobile C5

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

15.135 - 15.295	FIXED MOBILE C5
	5.339 C41
15.295 - 15.35	FIXED Mobile C5
	5.339
15.35 - 15.4	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
15.4 - 15.43	RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION
15.43 - 15.63	FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION
	5.511C
15.63 - 15.7	RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION
15.7 - 16.6	RADIOLOCATION C42
16.6 - 17.1	RADIOLOCATION Space research (deep space)(Earth-to-space)
17.1 - 17.2	RADIOLOCATION

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

17.2 - 17.3	EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active)
	5.513A
17.3 - 17.7	FIXED-SATELLITE (Earth-to-space) 5.516 C43 BROADCASTING-SATELLITE Radiolocation
	5.515
17.7 - 17.8	FIXED C45 FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.516 5.517 C43 BROADCASTING-SATELLITE C46
	5.515
17.8 - 18.1	FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.484A 5.516 C43
	5.519 C16D
18.1 - 18.4	FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.484A 5.516B 5.520 C43
	5.519 C16D C16E
18.4 - 18.6	FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B
	C16E
18.6 - 18.8	EARTH EXPLORATION-SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.522B SPACE RESEARCH (passive)
	5.522A C16E

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

18.8 - 19.3	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B 5.523A  C16E
19.3 - 19.7	FIXED FIXED-SATELLITE (space-to-Earth) 5.523C 5.523D 5.523E C46A  C16D
19.7 - 20.2	FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B C16I C16J MOBILE-SATELLITE (space-to-Earth)  5.525 5.526 5.527 5.528 5.529
20.2 - 21.2	FIXED-SATELLITE (space-to-Earth) C49 MOBILE-SATELLITE (space-to-Earth) C50 Standard Frequency and Time Signal-Satellite (space-to-Earth)
21.2 - 21.4	EARTH EXPLORATION-SATELLITE (passive) FIXED SPACE RESEARCH (passive) Mobile
21.4 - 22	FIXED Mobile  5.530A
22 - 22.21	FIXED Mobile except aeronautical mobile  5.149

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

22.21 - 22.5	EARTH EXPLORATION-SATELLITE (passive) FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) Mobile except aeronautical mobile
	5.149 5.532
22.5 - 22.55	FIXED Mobile
22.55 - 23.15	FIXED INTER-SATELLITE 5.338A SPACE RESEARCH (Earth-to-space) 5.532A Mobile
	5.149
23.15 - 23.55	FIXED INTER-SATELLITE 5.338A Mobile
23.55 - 23.6	FIXED Mobile
23.6 - 24	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
24 - 24.05	AMATEUR AMATEUR-SATELLITE
	5.150
24.05 - 24.25	RADIOLOCATION Amateur Earth exploration-satellite (active)
	5.150

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

24.25 - 24.45	FIXED RADIONAVIGATION
24.45 - 24.65	INTER-SATELLITE RADIONAVIGATION
24.65 - 24.75	INTER-SATELLITE RADIOLOCATION-SATELLITE (Earth-to-space)
24.75 - 25.05	FIXED-SATELLITE (Earth-to-space) 5.535
25.05 - 25.25	FIXED FIXED-SATELLITE (Earth-to-space) 5.535
	C44
25.25 - 25.5	FIXED INTER-SATELLITE 5.536 MOBILE Standard Frequency and Time Signal-Satellite (Earth-to-space)
25.5 - 27	EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED INTER-SATELLITE 5.536 MOBILE SPACE RESEARCH (space-to-Earth) Standard Frequency and Time Signal-Satellite (Earth-to-space)  5.536A
27 - 27.5	FIXED FIXED-SATELLITE (Earth-to-space) INTER-SATELLITE 5.536 MOBILE  C47A

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

27.5 - 28.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.539 MOBILE  5.538 5.540 C16F C47A
28.5 - 29.1	FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.523A 5.539 MOBILE  5.540 C16F
29.1 - 29.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.523C 5.523E 5.535A 5.539 5.541A C48 MOBILE  5.540 C16F C16G
29.5 - 29.9	FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.539 C16I C16J MOBILE-SATELLITE (Earth-to-space)  5.525 5.526 5.527 5.529 5.540
29.9 - 30	FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.539 C16I C16J MOBILE-SATELLITE (Earth-to-space)  5.525 5.526 5.527 5.538 5.540
30 - 31	FIXED-SATELLITE (Earth-to-space) 5.338A C49 MOBILE-SATELLITE (Earth-to-space) C50 Standard frequency and time signal-satellite (space-to-Earth)
31 - 31.3	FIXED 5.338A MOBILE Space research 5.544 Standard Frequency and Time Signal-Satellite (space-to-Earth)  5.149

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

31.3 - 31.8	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
31.8 - 32	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth)
	5.547 5.548
32 - 32.3	FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth)
	5.547 5.548
32.3 - 33	FIXED 5.547A INTER-SATELLITE RADIONAVIGATION
	5.547 5.548
33 - 33.4	FIXED 5.547A RADIONAVIGATION
	5.547
33.4 - 34.2	RADIOLOCATION
34.2 - 34.7	RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space)
34.7 - 35.2	RADIOLOCATION Space research
35.2 - 35.5	METEOROLOGICAL AIDS RADIOLOCATION

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

35.5 - 36	METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active)
	5.549A
36 - 37	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)
	5.149 5.550A
37 - 37.5	FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth)
	5.547
37.5 - 38	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) Earth exploration-satellite (space-to-Earth)
	5.547
38 - 39.5	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Earth exploration-satellite (space-to-Earth)
	5.547 C51
39.5 - 40	FIXED FIXED-SATELLITE (space-to-Earth) 5.516B MOBILE MOBILE-SATELLITE (space-to-Earth) C50 Earth exploration-satellite (space-to-Earth)
	5.547 C51

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

40 - 40.5	<p>EARTH EXPLORATION-SATELLITE (Earth-to-space)      FIXED      FIXED-SATELLITE (space-to-Earth) 5.516B      MOBILE      MOBILE-SATELLITE (space-to-Earth) C50      SPACE RESEARCH (Earth-to-space)      Earth exploration-satellite (space-to-Earth)</p>
40.5 - 41	<p>FIXED      FIXED-SATELLITE (space-to-Earth) 5.516B      BROADCASTING      BROADCASTING-SATELLITE      Mobile      Mobile-satellite (space-to-Earth)</p> <p style="text-align: center;">5.547</p>
41 - 42.5	<p>FIXED      FIXED-SATELLITE (space-to-Earth) 5.516B      BROADCASTING      BROADCASTING-SATELLITE      Mobile</p> <p style="text-align: center;">5.547 5.551H 5.551I</p>
42.5 - 43.5	<p>FIXED      FIXED-SATELLITE (Earth-to-space) 5.552      MOBILE except aeronautical mobile      RADIO ASTRONOMY</p> <p style="text-align: center;">5.149 5.547</p>
43.5 - 47	<p>MOBILE 5.553      MOBILE-SATELLITE C50      RADIONAVIGATION      RADIONAVIGATION-SATELLITE</p> <p style="text-align: center;">5.554</p>
47 - 47.2	<p>AMATEUR      AMATEUR-SATELLITE</p>

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

47.2 - 47.5	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE  5.552A C52
47.5 - 47.9	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE  C52
47.9 - 48.2	FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE  5.552A C52
48.2 - 50.2	FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.516B 5.552 MOBILE  5.149 5.340 5.555
50.2 - 50.4	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive)  5.340
50.4 - 51.4	FIXED FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE Mobile-satellite (Earth-to-space)
51.4 - 52.6	FIXED 5.338A MOBILE  5.547 5.556

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

52.6 - 54.25	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive)
	5.340 5.556
54.25 - 55.78	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive)
55.78 - 56.9	EARTH EXPLORATION-SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive)
	5.547
56.9 - 57	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive)
	5.547
57 - 58.2	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive)
	5.547
58.2 - 59	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)
	5.547 5.556

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

59 - 59.3	EARTH EXPLORATION-SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)
59.3 - 64	FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559  5.138
64 - 65	FIXED INTER-SATELLITE MOBILE except aeronautical mobile  5.547 5.556
65 - 66	EARTH EXPLORATION-SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH  5.547
66 - 71	INTER-SATELLITE MOBILE 5.553 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE  5.554
71 - 74	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

74 - 76	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE BROADCASTING BROADCASTING-SATELLITE Space research (space-to-Earth)
	5.561
76 - 77.5	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth)
	5.149
77.5 - 78	AMATEUR AMATEUR-SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to-Earth)
	5.149
78 - 79	RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to-Earth)
	5.149 5.560
79 - 81	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to-Earth)
	5.149

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

81 - 84	<p>FIXED 5.338A          FIXED-SATELLITE (Earth-to-space)          MOBILE          MOBILE-SATELLITE (Earth-to-space)          RADIO ASTRONOMY          Space research (space-to-Earth)</p> <p style="text-align: center;">5.149 5.561A</p>
84 - 86	<p>FIXED 5.338A          FIXED-SATELLITE (Earth-to-space)          MOBILE          RADIO ASTRONOMY</p> <p style="text-align: center;">5.149</p>
86 - 92	<p>EARTH EXPLORATION-SATELLITE (passive)          RADIO ASTRONOMY          SPACE RESEARCH (passive)</p> <p style="text-align: center;">5.340</p>
92 - 94	<p>FIXED 5.338A          MOBILE          RADIO ASTRONOMY          RADIOLOCATION</p> <p style="text-align: center;">5.149</p>
94 - 94.1	<p>EARTH EXPLORATION-SATELLITE (active)          RADIOLOCATION          SPACE RESEARCH (active)          Radio astronomy</p> <p style="text-align: center;">5.562 5.562A</p>
94.1 - 95	<p>FIXED          MOBILE          RADIO ASTRONOMY          RADIOLOCATION</p> <p style="text-align: center;">5.149</p>

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

95 - 100	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE	5.149 5.554
100 - 102	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	5.340 5.341
102 - 105	FIXED MOBILE RADIO ASTRONOMY	5.149 5.341
105 - 109.5	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B	5.149 5.341
109.5 - 111.8	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)	5.340 5.341
111.8 - 114.25	FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B	5.149 5.341

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

114.25 - 116	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340 5.341
116 - 122.25	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive)
	5.138 5.341
122.25 - 123	FIXED INTER-SATELLITE MOBILE 5.558 Amateur
	5.138
123 - 130	FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy
	5.149 5.554
130 - 134	EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY
	5.149 5.562A
134 - 136	AMATEUR AMATEUR-SATELLITE Radio astronomy

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

136 - 141	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite
	5.149
141 - 148.5	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION
	5.149
148.5 - 151.5	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
151.5 - 155.5	FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION
	5.149
155.5 - 158.5	EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B
	5.149 5.562F 5.562G
158.5 - 164	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

164 - 167	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
167 - 174.5	FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558
	5.149
174.5 - 174.8	FIXED INTER-SATELLITE MOBILE 5.558
174.8 - 182	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)
182 - 185	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
185 - 190	EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)
190 - 191.8	EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive)
	5.340

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

191.8 - 200	FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE
	5.149 5.341 5.554
200 - 209	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340 5.341 5.563A
209 - 217	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY
	5.149 5.341
217 - 226	FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B
	5.149 5.341
226 - 231.5	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)
	5.340
231.5 - 232	FIXED MOBILE Radiolocation

**CANADIAN TABLE OF FREQUENCY ALLOCATIONS**  
**GHz**

232 - 235	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation
235 - 238	EARTH EXPLORATION-SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive)  5.563A 5.563B
238 - 240	FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION-SATELLITE
240 - 241	FIXED MOBILE RADIOLOCATION
241 - 248	RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite  5.138 5.149
248 - 250	AMATEUR AMATEUR-SATELLITE Radio Astronomy  5.149
250 - 252	EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive)  5.340 5.563A

CANADIAN TABLE OF FREQUENCY ALLOCATIONS  
GHz

252 - 265	FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION-SATELLITE
265 - 275	5.149 5.554 FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY
275 - 3 000	5.149 5.563A (Not allocated) 5.565

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

### International footnotes

The Canadian Table contains international footnotes from the ITU *Table of Frequency Allocations* that are deemed pertinent and thus adopted in Canada. It should be noted that some of the international footnotes applicable to Canada have been suppressed in the Canadian Table in favour of a specific Canadian footnote which incorporates, in part, the ITU provisions and responds to specific Canadian spectrum requirements. In addition, other Canadian footnotes have been developed to respond to such domestic spectrum requirements.

**5.54A** Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification after this date, the most recent version of Recommendation ITU-R RS.1881 should be applied. (WRC-12)

**5.56** The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-12)

**5.57** The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.

**5.60** In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.

**5.61** In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. **9.21** with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.

**5.64** Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.

**5.67A** Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. **5.67**. (WRC-07)

**5.73** The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)

**5.76** The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.

**5.79** The use of the bands 415-495 kHz and 505-526.5 kHz (505-510 kHz in Region 2) by the maritime mobile service is limited to radiotelegraphy.

**5.79A** When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution **339 (Rev.WRC-07)**). (WRC-07)

**5.80A** The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the band 472-479 kHz shall not exceed 1 W. Administrations may increase this limit of e.i.r.p. to 5 W in portions of their territory which are at a distance of over 800 km from the borders of Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia, Ukraine and Yemen. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service. (WRC-12)

**5.82** In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles **31** and **52**. In using the frequency band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. In using the frequency band 472-479 kHz for the amateur service, administrations shall ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-12)

**5.84** The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles **31** and **52**. (WRC-07)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.86** In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.

**5.89** In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).

**5.90** In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.

**5.105** In Region 2, except in Greenland, coast stations and ship stations using radiotelephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. **52.165**.

**5.108** The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles **31** and **52**. (WRC-07)

**5.109** The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article **31**.

**5.110** The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article **31**.

**5.111** The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article **31**.

The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of  $\pm 3$  kHz about the frequency. (WRC-07)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.113** For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. **5.16** to **5.20**, **5.21** and **23.3** to **23.10**.

**5.115** The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article **31**, by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)

**5.116** Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.

It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.

**5.127** The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. **52.220** and Appendix **17**).

**5.128** Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Azerbaijan, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-12)

**5.130** The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles **31** and **52**. (WRC-07)

**5.131** The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)

**5.132** The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix **17**).

**5.132A** Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution **612 (Rev.WRC-12)**. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.134** The use of the bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-07). (WRC-07)

**5.136** *Additional allocation:* frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.138** The following bands:

6 765-6 795 kHz	(centre frequency 6 780 kHz),
433.05-434.79 MHz	(centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280,
61-61.5 GHz	(centre frequency 61.25 GHz),
122-123 GHz	(centre frequency 122.5 GHz), and
244-246 GHz	(centre frequency 245 GHz)

are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.

**5.142** The use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.143** *Additional allocation:* frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.143D** In Region 2, frequencies in the band 7 350-7 400 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-12)

**5.145** The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles **31** and **52**. (WRC-07)

**5.145A** Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed service. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution **612 (Rev.WRC-12)**. (WRC-12)

**5.146** *Additional allocation:* frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.147** On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

**5.149** In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	4 950-4 990 MHz,	102-109.5 GHz,
25 550-25 670 kHz,	4 990-5 000 MHz,	111.8-114.25 GHz,
37.5-38.25 MHz,	6 650-6 675.2 MHz,	128.33-128.59 GHz,
73-74.6 MHz in Regions 1 and 3,	10.6-10.68 GHz,	129.23-129.49 GHz,
150.05-153 MHz in Region 1,	14.47-14.5 GHz,	130-134 GHz,
322-328.6 MHz,	22.01-22.21 GHz,	136-148.5 GHz,
406.1-410 MHz,	22.21-22.5 GHz,	151.5-158.5 GHz,
608-614 MHz in Regions 1 and 3,	22.81-22.86 GHz,	168.59-168.93 GHz,
1 330-1 400 MHz,	23.07-23.12 GHz,	171.11-171.45 GHz,

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

1 610.6-1 613.8 MHz,	31.2-31.3 GHz,	172.31-172.65 GHz,
1 660-1 670 MHz,	31.5-31.8 GHz in Regions 1 and 3,	173.52-173.85 GHz,
1 718.8-1 722.2 MHz,	36.43-36.5 GHz,	195.75-196.15 GHz,
2 655-2 690 MHz,	42.5-43.5 GHz,	209-226 GHz,
3 260-3 267 MHz,	48.94-49.04 GHz,	241-250 GHz,
3 332-3 339 MHz,	76-86 GHz,	252-275 GHz
3 345.8-3 352.5 MHz,	92-94 GHz,	
4 825-4 835 MHz,	94.1-100 GHz,	

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. **4.5** and **4.6** and Article **29**). (WRC-07)

**5.150** The following bands:

13 553-13 567 kHz	(centre frequency 13 560 kHz),
26 957-27 283 kHz	(centre frequency 27 120 kHz),
40.66-40.70 MHz	(centre frequency 40.68 MHz),
902-928 MHz	in Region 2 (centre frequency 915 MHz),
2 400-2 500 MHz	(centre frequency 2 450 MHz),
5 725-5 875 MHz	(centre frequency 5 800 MHz), and
24-24.25 GHz	(centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No.

**15.13.**

**5.151** *Additional allocation:* frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

**5.155B** The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.157** The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.

**5.180** The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons.

Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.

**5.197A** *Additional allocation:* the band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **413** (**Rev.WRC-07**). The use of the band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-07)

**5.200** In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service. (WRC-07)

**5.208** The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

**5.208A** In making assignments to space stations in the mobile-satellite service in the bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions. The threshold levels of interference detrimental to the radio astronomy service are shown in the relevant ITU-R Recommendation. (WRC-07)

**5.208B** In the frequency bands:

137-138 MHz,  
387-390 MHz,  
400.15-401 MHz,  
1 452-1 492 MHz,  
1 525-1 610 MHz,  
1 613.8-1 626.5 MHz,  
2 655-2 690 MHz,  
21.4-22 GHz,

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

Resolution **739 (Rev.WRC-15)** applies. (WRC-15)

**5.209** The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)

**5.218** *Additional allocation:* the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. The bandwidth of any individual transmission shall not exceed  $\pm 25$  kHz.

**5.219** The use of the band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the band 148-149.9 MHz.

**5.220** The use of the frequency bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-15)

**5.222** (SUP – WRC-15)

**5.223** (SUP – WRC-15)

**5.224A** (SUP – WRC-15)

**5.224B** (SUP – WRC-15)

**5.226** The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles **31** and **52**, and in Appendix **18**.

The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article **31** and Appendix **18**.

In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles **31** and **52**, and Appendix **18**).

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.

However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

**5.228** The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long-range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1 W. (WRC-12)

**5.228AA** The use of the frequency bands 161.9375-161.9625 MHz and 161.9875-162.0125 MHz by the maritime mobile-satellite (Earth-to-space) service is limited to the systems which operate in accordance with Appendix 18. (WRC-15)

**5.228C** The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the maritime mobile service and the mobile-satellite (Earth-to-space) service is limited to the automatic identification system (AIS). The use of these frequency bands by the aeronautical mobile (OR) service is limited to AIS emissions from search and rescue aircraft operations. The AIS operations in these frequency bands shall not constrain the development and use of the fixed and mobile services operating in the adjacent frequency bands. (WRC-12)

**5.228D** The frequency bands 161.9625-161.9875 MHz (AIS 1) and 162.0125-162.0375 MHz (AIS 2) may continue to be used by the fixed and mobile services on a primary basis until 1 January 2025, at which time this allocation shall no longer be valid. Administrations are encouraged to make all practicable efforts to discontinue the use of these bands by the fixed and mobile services prior to the transition date. During this transition period, the maritime mobile service in these frequency bands has priority over the fixed, land mobile and aeronautical mobile services. (WRC-12)

**5.242** *Additional allocation:* in Canada, the band 216-220 MHz is also allocated to the land mobile service on a primary basis.

**5.254** The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. **9.21**, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. **5.256A**. (WRC-03)

**5.255** The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. **9.11A**.

**5.256** The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)

**5.258** The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.260** (SUP – WRC-15)

**5.261** Emissions shall be confined in a band of  $\pm 25$  kHz about the standard frequency 400.1 MHz.

**5.263** The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

**5.264** The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. The power flux-density limit indicated in Annex 1 of Appendix **5** shall apply until such time as a competent world radiocommunication conference revises it.

**5.265** In the frequency band 403-410 MHz, Resolution **205 (Rev.WRC-15)** applies. (WRC-15)

**5.266** The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article **31**). (WRC-07)

**5.267** Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.

**5.268** Use of the frequency band 410-420 MHz by the space research service is limited to space-to-space communications with an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from transmitting stations of the space research service (space-to-space) in the frequency band 410-420 MHz shall not exceed  $-153$  dB(W/m $^2$ ) for  $0^\circ \leq \delta \leq 5^\circ$ ,  $-153 + 0.077(\delta - 5)$  dB(W/m $^2$ ) for  $5^\circ \leq \delta \leq 70^\circ$  and  $-148$  dB(W/m $^2$ ) for  $70^\circ \leq \delta \leq 90^\circ$ , where  $\delta$  is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. In this frequency band, stations of the space research service (space-to-space) shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. No. **4.10** does not apply. (WRC-15)

**5.279A** The use of this band by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R SA.1260 1. Additionally, the Earth exploration-satellite service (active) in the band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. **5.29** and **5.30**. (WRC-03)

**5.282** In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650-5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. **5.43**). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. **25.11**. The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.284** *Additional allocation:* in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.

**5.285** Different category of service: in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. **5.33**).

**5.286** The band 449.75-450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. **9.21**.

**5.286A** The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. (WRC-97)

**5.286AA** The band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). See Resolution **224 (Rev.WRC-07)**. This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-07)

**5.286B** The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

**5.286C** The use of the band 454-455 MHz in the countries listed in No. **5.286D**, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. **5.286E**, by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)

**5.286D** *Additional allocation:* in Canada, the United States, and Panama, the band 454-455 MHz is also allocated to mobile-satellite service (Earth-to-space) on a primary basis. (WRC-07)

**5.287** Use of the frequency bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channeling arrangement shall be in accordance with Recommendation ITU-R M.1174-3. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned. (WRC-15)

**5.289** Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.293** *Different category of service:* in Canada, Chile, Cuba, the United States, Guyana, Jamaica and Panama, the allocation of the frequency bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. In the Bahamas, Barbados, Canada, Chile, Cuba, the United States, Guyana, Jamaica, Mexico and Panama, the allocation of the frequency bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. In Argentina and Ecuador, the allocation of the frequency band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. **5.33**), subject to agreement obtained under No. **9.21**. (WRC-15)

**5.295** In the Bahamas, Barbados, Canada, the United States and Mexico, the frequency band 470-608 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution **224 (Rev.WRC-15)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the ITU Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. **9.21** and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. **5.43** and **5.43A** apply. In Mexico, the use of IMT in this frequency band will not start before 31 December 2018 and may be extended if agreed by the neighbouring countries. (WRC-15)

**5.297** *Additional allocation:* in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana and Jamaica, the frequency band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. **9.21**. In the Bahamas, Barbados and Mexico, the frequency band 512-608 MHz is also allocated to the mobile service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-15)

**5.308A** In the Bahamas, Barbados, Belize, Canada, Colombia, the United States and Mexico, the frequency band 614-698 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution **224 (Rev.WRC-15)**. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. **9.21** and shall not cause harmful interference to or claim protection from the broadcasting service of neighbouring countries. Nos. **5.43** and **5.43A** apply. In Belize and Mexico, the use of IMT in this frequency band will not start before 31 December 2018 and may be extended if agreed by the neighbouring countries. (WRC-15)

**5.317** *Additional allocation:* in Region 2 (except Brazil, the United States and Mexico), the frequency band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**. The use of this service is intended for operation within national boundaries. (WRC-15)

**5.317A** Those parts of the band 698-960 MHz in Region 2 and the band 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolutions **224 (Rev.WRC-12)** and **749 (Rev.WRC-12)**, as appropriate. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-12)

**5.318** *Additional allocation:* in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.

**5.327A** The use of the frequency band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **417 (Rev.WRC-15)**. (WRC-15)

**5.328** The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)

**5.328A** Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution **609 (Rev.WRC-07)** and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. **5.43A** does not apply. The provisions of No. **21.18** shall apply. (WRC-07)

**5.328AA** The frequency band 1 087.7-1 092.3 MHz is also allocated to the aeronautical mobile-satellite (R) service (Earth-to-space) on a primary basis, limited to the space station reception of Automatic Dependent Surveillance - Broadcast (ADS-B) emissions from aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution **425 (WRC-15)** shall apply. (WRC-15)

**5.328B** The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. **9.12, 9.12A** and **9.13**. Resolution **610 (WRC-03)** shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution **610 (WRC-03)** shall only apply to transmitting space stations. In accordance with No. **5.329A**, for systems and networks in the radionavigation satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. **9.7, 9.12, 9.12A** and **9.13** shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.329** Use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. **5.331**. Furthermore, use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. **5.43** shall not apply in respect of the radiolocation service. Resolution **608 (WRC-03)** shall apply. (WRC-03)

**5.329A** Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table. (WRC-07)

**5.331** *Additional allocation:* in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People=s Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-12)

**5.332** In the band 1 215-1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)

**5.334** *Additional allocation:* in Canada and the United States, the band 1 350-1 370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)

**5.335** In Canada and the United States in the band 1 240-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)

**5.335A** In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.337** The use of the bands 1 300-1 350 MHz, 2 700-2 900 MHz and 9 000-9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.

**5.337A** The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)

**5.338A** In the bands 1 350-1 400 MHz, 1 427-1 452 MHz, 22.55-23.55 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution **750** (**Rev.WRC-12**) applies. (WRC-12)

**5.339** The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and earth exploration-satellite (passive) services on a secondary basis.

**5.340** All emissions are prohibited in the following bands:

1 400-1 427 MHz,  
2 690-2 700 MHz, except those provided for by No. **5.422**,  
10.68-10.7 GHz, except those provided for by No. **5.483**,  
15.35-15.4 GHz, except those provided for by No. **5.511**,  
23.6-24 GHz,  
31.3-31.5 GHz,  
31.5-31.8 GHz, in Region 2,  
48.94-49.04 GHz, from airborne stations,  
50.2-50.4 GHz<sup>1</sup>,  
52.6-54.25 GHz,  
86-92 GHz,  
100-102 GHz,  
109.5-111.8 GHz,  
114.25-116 GHz,  
148.5-151.5 GHz,  
164-167 GHz,  
182-185 GHz,  
190-191.8 GHz,  
200-209 GHz,  
226-231.5 GHz,  
250-252 GHz. (WRC-03)

---

<sup>1</sup> The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.341** In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.

**5.343** In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.

**5.345** Use of the band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (WARC-92)**.

**5.351** The bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 626.5-1 645.5 MHz and 1 646.5-1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorized by an administration to communicate via space stations using these bands.

**5.351A** For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions **212 (Rev.WRC-07)** and **225 (Rev.WRC-07)**. (WRC-07)

**5.353A** In applying the procedures of Section II of Article **9** to the mobile-satellite service in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodate the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution **222 (WRC-2000)** shall apply.) (WRC-2000)

**5.354** The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. **9.11A**.

**5.356** The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article **31**).

**5.357** Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.

**5.357A** In applying the procedures of Section II of Article **9** to the mobile-satellite service in the frequency bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

accommodate the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article **44**. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article **44** shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article **44**. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution **222 (Rev.WRC-12)** shall apply.) (WRC-12)

**5.364** The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. **9.11A**. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of  $-15$  dB (W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. **5.366** (to which No. **4.10** applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed  $-3$  dB (W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. **5.366** and stations in the fixed service operating in accordance with the provisions of No. **5.359**. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. **5.366**.

**5.365** The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. **9.11A**.

**5.366** The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. **9.21**.

**5.367** *Additional allocation:* The frequency band 1 610-1 626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. **9.21**. (WRC-12)

**5.368** With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. **4.10** do not apply in the band 1 610-1 626.5 MHz, with the exception of the aeronautical radionavigation-satellite service.

**5.372** Harmful interference shall not be caused to stations of the radio astronomy service using the band 1 610.6-1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. **29.13** applies).

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.374** Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. **5.359**. (WRC-97)

**5.375** The use of the band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article 31).

**5.376** Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.

**5.376A** Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)

**5.379A** Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4-1 668.4 MHz as soon as practicable.

**5.379D** For sharing of the band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution **744 (Rev.WRC-07)** shall apply. (WRC-07)

**5.379E** In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)

**5.384A** The bands, or portions of the bands, 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223 (Rev. WRC-07)**. This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07)

**5.385** *Additional allocation:* the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)

**5.386** *Additional allocation:* the frequency band 1 750-1 850 MHz is also allocated to the space operation (Earth- to-space) and space research (Earth-to-space) services in Region 2, (except in Mexico), in Australia, Guam, India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. **9.21**, having particular regard to troposcatter systems. (WRC-15)

**5.388** The frequency bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications (IMT). Such use does not preclude the use of these frequency bands by

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

other services to which they are allocated. The frequency bands should be made available for IMT in accordance with Resolution **212 (Rev.WRC-15)**. (see also Resolution **223 (Rev.WRC-15)**). (WRC-15)

**5.388A** In Regions 1 and 3, the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz and, in Region 2, the bands 1 885-1 980 MHz and 2 110-2 160 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications (IMT), in accordance with Resolution **221 (Rev.WRC-07)**. Their use by IMT applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-12)

**5.389A** The use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)**. (WRC-07)

**5.389B** The use of the band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela.

**5.389C** The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. **9.11A** and to the provisions of Resolution **716 (Rev.WRC-2000)**. (WRC-07)

**5.389E** The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.

**5.391** In making assignments to the mobile service in the frequency bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154-0, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-15)

**5.392** Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

**5.393** *Additional allocation:* in Canada, the United States and India, the frequency band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution **528 (Rev.WRC-15)**, with the

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

exception of *resolves* 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz. (WRC-15)

**5.394** In the United States, the use of the band 2 300-2 390 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-07)

**5.396** Space stations of the broadcasting-satellite service in the band 2 310-2 360 MHz operating in accordance with No. **5.393** that may affect the services to which this band is allocated in other countries shall be coordinated and notified in accordance with Resolution **33 (Rev.WRC-97)**. Complementary terrestrial broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use.

**5.398** In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. **4.10** do not apply.

**5.402** The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. **9.11A**. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.

**5.416** The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. **9.21**. The provisions of No. **9.19** shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)

**5.423** In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.

**5.424** *Additional allocation:* in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.

**5.424A** In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)

**5.425** In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder system (SIT) shall be confined to the sub-band 2 930-2 950 MHz.

**5.426** The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.427** In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. **4.9**.

**5.433** In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.

**5.436** Use of the frequency band 4 200-4 400 MHz by stations in the aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution **424 (WRC-15)**. (WRC-15)

**5.437** Passive sensing in the Earth exploration-satellite and space research services may be authorized in the frequency band 4 200-4 400 MHz on a secondary basis. (WRC-15)

**5.438** Use of the frequency band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. (WRC-15)

**5.440** The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of  $\pm 2$  MHz of these frequencies, subject to agreement obtained under No. **9.21**.

**5.440A** In Region 2 (except Brazil, Cuba, French Overseas Departments and Communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. **1.83**). Such use shall be in accordance with Resolution **416 (WRC-07)** and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of this band by other mobile service applications or by other services to which this band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)

**5.441** The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7- 10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75- 13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

**5.442** In the frequency bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Mexico, Paraguay, Uruguay and Venezuela), and in Australia, the frequency band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution **416 (WRC-07)** and shall not cause harmful interference to the fixed service. (WRC-15)

**5.443** Different category of service: in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. **5.33**).

**5.443AA** In the frequency bands 5 000-5 030 MHz and 5 091-5 150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. **9.21**. The use of these bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)

**5.443B** In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the frequency band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the frequency band 5 010-5 030 MHz shall not exceed –124.5 dB(W/m<sup>2</sup>) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the frequency band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the frequency band 5 010-5 030 MHz shall comply with the limits in the frequency band 4 990-5 000 MHz defined in Resolution **741 (Rev.WRC-15)**. (WRC-15)

**5.443C** The use of the frequency band 5 030-5 091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5 030-5 091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5 010-5 030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of –75 dBW/MHz in the frequency band 5 010-5 030 MHz for any AM(R)S station unwanted emission should be used. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.443D** In the frequency band 5 030-5 091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. **9.11A**. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)

**5.444** The frequency band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the frequency band 5 030-5 091 MHz, the requirements of this system shall have priority over other uses of this band. For the use of the band 5 091-5 150 MHz, No. **5.444A** and Resolution **114 (Rev.WRC-15)** apply. (WRC-15)

**5.444A** The use of the allocation to the fixed-satellite service (Earth-to-space) in the frequency band 5 091-5 150 MHz is limited to feeder links of non-geostationary satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**. The use of the frequency band 5 091-5 150 MHz by feeder links of non-geostationary satellite systems in the mobile-satellite service shall be subject to application of Resolution **114 (Rev.WRC-15)**. Moreover, to ensure that the aeronautical radionavigation service is protected from harmful interference, coordination is required for feeder-link earth stations of the non-geostationary satellite systems in the mobile-satellite service which are separated by less than 450 km from the territory of an administration operating ground stations in the aeronautical radionavigation service. (WRC-15)

**5.444B** The use of the frequency band 5 091-5 150 MHz by the aeronautical mobile service is limited to:

- systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution **748 (Rev.WRC-15)**;
- aeronautical telemetry transmissions from aircraft stations (see No. **1.83**) in accordance with Resolution **418 (Rev.WRC-15)**. (WRC-15)

**5.446** *Additional allocation:* in the countries listed in No. **5.369**, the frequency band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. **9.21**. In Region 2 (except in Mexico), the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in No. **5.369** and Bangladesh, the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the frequency bands 1 610-1 626.5 MHz and/or 2 483.5-2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival. (WRC-15)

**5.446A** The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution **229 (Rev.WRC-12)**. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.446B** In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. **5.43A** does not apply to the mobile service with respect to FSS earth stations. (WRC-03)

**5.447A** The allocation to the fixed-satellite service (Earth-to-space) in the band 5 150-5 250 MHz is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. **9.11A**. (WRC-12)

**5.447B** *Additional allocation:* the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. **9.11A**. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed  $-164 \text{ dB(W/m}^2\text{)}$  in any 4 kHz band for all angles of arrival.

**5.447C** Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. **5.447A** and **5.447B** shall coordinate on an equal basis in accordance with No. **9.11A** with administrations responsible for non-geostationary-satellite networks operated under No. **5.446** and brought into use prior to 17 November 1995. Satellite networks operated under No. **5.446** brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. **5.447A** and **5.447B**.

**5.447D** The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)

**5.447F** In the frequency band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendations ITU-R M.1638-0 and ITU-R SA.1632-0. (WRC-15)

**5.448A** The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. **5.43A** does not apply. (WRC-03)

**5.448B** The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.448C** The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)

**5.448D** In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. **5.449**. (WRC-03)

**5.449** The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.

**5.450A** In the frequency band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendation ITU-R M.1638-0. (WRC-15)

**5.450B** In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)

**5.452** Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.

**5.457A** In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution **902 (WRC-03)**. In the frequency band 5 925-6 425 MHz, earth stations located on board vessels and communicating with space stations of the fixed-satellite service may employ transmit antennas with minimum diameter of 1.2 m and operate without prior agreement of any administration if located at least 330 km away from the low-water mark as officially recognized by the coastal State. All other provisions of Resolution **902 (WRC-03)** shall apply. (WRC-15)

**5.458** In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075-7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425-7 075 MHz and 7 075-7 250 MHz.

**5.458A** In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650-6 675.2 MHz from harmful interference from unwanted emissions.

**5.458B** The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

subject to coordination under No. **9.11A**. The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. **22.2**.

**5.458C** (SUP – WRC-15)

**5.459** *Additional allocation:* in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. **9.21**. In the frequency band 7 190-7 235 MHz, with respect to the Earth exploration-satellite service (Earth-to-space), No. **9.21** does not apply. (WRC-15)

**5.460** No emissions from space research service (Earth-to-space) systems intended for deep space shall be effected in the frequency band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. **5.43A** does not apply. (WRC-15)

**5.460A** The use of the frequency band 7 190-7 250 MHz (Earth-to-space) by the Earth exploration-satellite service shall be limited to tracking, telemetry and command for the operation of spacecraft. Space stations operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 250 MHz shall not claim protection from existing and future stations in the fixed and mobile services, and No. **5.43A** does not apply. No. **9.17** applies. Additionally, to ensure protection of the existing and future deployment of fixed and mobile services, the location of earth stations supporting spacecraft in the Earth exploration-satellite service in non-geostationary orbits or geostationary orbit shall maintain a separation distance of at least 10 km and 50 km, respectively, from the respective border(s) of neighbouring countries, unless a shorter distance is otherwise agreed between the corresponding administrations. (WRC-15)

**5.460B** Space stations on the geostationary orbit operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the space research service, and No. **5.43A** does not apply. (WRC-15)

**5.461** *Additional allocation:* the bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. **9.21**.

**5.461A** The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime. (WRC-97)

**5.461B** The use of the band 7 750-7 900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.465** In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.

**5.469A** In the band 8 550-8 650 MHz, stations in the earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)

**5.470** The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.

**5.472** In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.

**5.473A** In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. **5.337** operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. **5.471**. (WRC-07)

**5.474** In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article **31**).

**5.474A** The use of the frequency bands 9 200-9 300 MHz and 9 900-10 400 MHz by the Earth exploration-satellite service (active) is limited to systems requiring necessary bandwidth greater than 600 MHz that cannot be fully accommodated within the frequency band 9 300-9 900 MHz. Such use is subject to agreement to be obtained under No. **9.21** from Algeria, Saudi Arabia, Bahrain, Egypt, Indonesia, Iran (Islamic Republic of), Lebanon and Tunisia. An administration that has not replied under No. **9.52** is considered as not having agreed to the coordination request. In this case, the notifying administration of the satellite system operating in the Earth exploration-satellite service (active) may request the assistance of the Bureau under Sub-Section IID of Article **9**. (WRC-15)

**5.474B** Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2066-0. (WRC-15)

**5.474C** Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2065-0. (WRC-15)

**5.474D** Stations in the Earth exploration-satellite service (active) shall not cause harmful interference to, nor claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9 200-9 300 MHz, the radionavigation and radiolocation services in frequency band 9 900-10 000 MHz, and the radiolocation service in the frequency band 10.0-10.4 GHz. (WRC-15)

**5.475** The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)

**5.475A** The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)

**5.475B** In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)

**5.476A** In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)

**5.478A** The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band. (WRC-07)

**5.478B** In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis. (WRC-07)

**5.479** The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.

**5.482** In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed 13 dBW. This limit may be exceeded, subject to agreement obtained under No. **9.21**. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, services is not applicable. (WRC-07)

**5.482A** For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution **751 (WRC-07)** applies. (WRC-07)

**5.484A** The use of the bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.8-18.6 GHz (space-to-Earth), 19.7-20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

**5.484B** Resolution **155 (WRC-15)** shall apply. (WRC-15)

**5.485** In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.

**5.487A** *Additional allocation:* in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)

**5.488** The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. **9.14** for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix **30**. (WRC-03)

**5.490** In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix **30**.

**5.492** Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix **30** may also be

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)

**5.497** The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.

**5.498A** The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)

**5.499C** The allocation of the frequency band 13.4-13.65 GHz to the space research service on a primary basis is limited to:

- satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015,
- active spaceborne sensors,
- satellite systems operating in the space research service (space-to-Earth) to relay data from space stations in the geostationary-satellite orbit to associated earth stations.

Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

**5.499D** In the frequency band 13.4-13.65 GHz, satellite systems in the space research service (space-to-Earth) and/or the space research service (space-to-space) shall not cause harmful interference to, nor claim protection from, stations in the fixed, mobile, radiolocation and Earth exploration-satellite (active) services. (WRC-15)

**5.501A** The allocation of the frequency band 13.65-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

**5.501B** In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)

**5.502** In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

satellite service in this band with an antenna diameter smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz})$ ) for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal state;
- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz})$ ) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-07)

**5.503** In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

- in the band 13.770-13.780 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
  - (i)  $4.7D + 28 \text{ dB(W/40 kHz)}$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
  - (ii)  $49.2 + 20 \log(D/4.5) \text{ dB(W/40 kHz)}$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
  - (iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
  - (iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
- the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.

Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)

**5.504A** In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. **5.29**, **5.30** and **5.31** apply. (WRC-03)

**5.506** The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.

**5.506A** In the band 14-14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution **902 (WRC-03)**. This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Bureau prior to 5 July 2003. (WRC-03)

**5.511A** Use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. **9.11A**. (WRC-15)

**5.511C** Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340-0. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. **4.10** applies) from harmful interference from feeder-link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340-0. (WRC-15)

**5.511E** In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service. (WRC-12)

**5.511F** In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of  $-156 \text{ dB(W/m}^2\text{)}$  in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time. (WRC-12)

**5.513A** Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)

**5.515** In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix **30A**.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.516** The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article 11. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

**5.516B** The following bands are identified for use by high-density applications in the fixed-satellite service (HDFSS):

17.3-17.7 GHz	(space-to-Earth) in Region 1,
18.3-19.3 GHz	(space-to-Earth) in Region 2,
19.7-20.2 GHz	(space-to-Earth) in all Regions,
39.5-40 GHz	(space-to-Earth) in Region 1,
40-40.5 GHz	(space-to-Earth) in all Regions,
40.5-42 GHz	(space-to-Earth) in Region 2,
47.5-47.9 GHz	(space-to-Earth) in Region 1,
48.2-48.54 GHz	(space-to-Earth) in Region 1,
49.44-50.2 GHz	(space-to-Earth) in Region 1 and 27.5-27.82 GHz (Earth-to-space) in Region 1, 28.35-28.45 GHz (Earth-to-space) in Region 2, 28.45-28.94 GHz (Earth-to-space) in all Regions, 28.94-29.1 GHz (Earth-to-space) in Region 2 and 3, 29.25-29.46 GHz (Earth-to-space) in Region 2, 29.46-30 GHz (Earth-to-space) in all Regions, 48.2-50.2 GHz (Earth-to-space) in Region 2.

This identification does not preclude the use of these bands by other fixed-satellite service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in these Regulations among users of the bands. Administrations should take this into account when considering regulatory provisions in relation to these bands. See Resolution 143 (WRC-03). (WRC-03)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.517** In Region 2, use of the fixed-satellite (space-to-Earth) service in the band 17.7-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-07)

**5.519** *Additional allocation:* the bands 18-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)

**5.520** The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)

**5.522A** The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. **21.5A** and **21.16.2**, respectively. (WRC-2000)

**5.522B** The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)

**5.523A** The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. **9.11A** and No. **22.2** does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. **9.11A** with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix **4** notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

**5.523C** No. **22.2** of the Radio Regulations shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix **4** coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

**5.523D** The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. **5.523C** and **5.523E**, is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

**5.523E** No. **22.2** of the Radio Regulations shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix **4** coordination information,

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)

**5.525** In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.

**5.526** In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.

**5.527** In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. **4.10** do not apply with respect to the mobile-satellite service.

**5.527A** The operation of earth stations in motion communicating with the FSS is subject to Resolution **156 (WRC-15)**. (WRC-15)

**5.528** The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. **5.524**.

**5.529** The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. **5.526**.

**5.530A** Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services of an administration shall not produce a power flux-density in excess of  $120.4 \text{ dB(W/(m}^2 \cdot \text{MHz})$  at 3 m above the ground of any point of the territory of any other administration in Regions 1 and 3 for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see Recommendation ITU-R BO.1898). (WRC-12)

**5.530C** (SUP – WRC-15)

**5.532** The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.532A** The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. **9.17** and **9.18** do not apply. (WRC-12)

**5.535** In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.

**5.535A** The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. **9.11A**, but not subject to the provisions of No. **22.2**, except as indicated in Nos. **5.523C** and **5.523E** where such use is not subject to the provisions of No. **9.11A** and shall continue to be subject to Articles **9** (except No. **9.11A**) and **11** procedures, and to the provisions of No. **22.2**. (WRC-97)

**5.536** Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.

**5.536A** Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account the most recent version of Recommendation ITU-R SA.1862. (WRC-12)

**5.538** *Additional allocation:* the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of +10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)

**5.539** The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.

**5.540** *Additional allocation:* the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.

**5.541A** Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)

**5.544** In the band 31-31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service.

**5.547** The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution 75 (WRC-2000)). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-07)

**5.547A** Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)

**5.548** In designing systems for the inter-satellite service in the band 32.3-33 GHz, for the radionavigation service in the band 32-33 GHz, and for the space research service (deep space) in the band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707). (WRC-03)

**5.549A** In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed – 73.3 dB(W/m<sup>2</sup>) in this band. (WRC-03)

**5.550A** For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution 752 (WRC-07) shall apply. (WRC-07)

**5.551H** The equivalent power flux-density (epfd) produced in the frequency band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:  
–230 dB(W/m<sup>2</sup>) in 1 GHz and –246 dB(W/m<sup>2</sup>) in any 500 kHz of the frequency band 42.5-43.5 GHz at the site of any radio astronomy station registered as a single-dish telescope; and

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

–209 dB(W/m<sup>2</sup>) in any 500 kHz of the frequency band 42.5–43.5 GHz at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631-0 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle  $\theta_{\min}$  of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall apply at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-15)

### 5.55I

The power flux-density in the band 42.5–43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service operating in the 42–42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

- 137 dB(W/m<sup>2</sup>) in 1 GHz and –153 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5–43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
- 116 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5–43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.552** The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.

**5.552A** The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is designated for use by high altitude platform stations. The use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz is subject to the provisions of Resolution **122 (Rev.WRC-07)**. (WRC-07)

**5.553** In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. **5.43**). (WRC-2000)

**5.554** In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)

**5.555** *Additional allocation:* the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)

**5.556** In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)

**5.556A** Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed –147 dB (W/m<sup>2</sup> A 100 MHz) for all angles of arrival. (WRC-97)

**5.557A** In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to –26 dB(W/MHz). (WRC-2000)

**5.558** In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

**5.558A** Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed –147 dB (W/m<sup>2</sup> A 100 MHz) for all angles of arrival. (WRC-97)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.559** In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. **5.43**). (WRC-2000)

**5.559B** The use of the frequency band 77.5-78 GHz by the radiolocation service shall be limited to short-range radar for ground-based applications, including automotive radars. The technical characteristics of these radars are provided in the most recent version of Recommendation ITU-RM.2057. The provisions of No. **4.10** do not apply. (WRC-15)

**5.560** In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.

**5.561** In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)

**5.561A** The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)

**5.562** The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)

**5.562A** In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)

**5.562B** In the bands 105-109.5 GHz, 111.8-114.25 GHz, 155.5-158.5 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-2000)

**5.562C** Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth=s surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-148 \text{ dB(W/(m}^2 \cdot \text{MHz})$  for all angles of arrival. (WRC-2000)

**5.562E** The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz. (WRC-2000)

**5.562F** In the band 155.5-158.5 GHz, the allocation to the Earth exploration-satellite (passive) and space research (passive) services shall terminate on 1 January 2018. (WRC-2000)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**5.562G** The date of entry into force of the allocation to the fixed and mobile services in the band 155.5-158.5 GHz shall be 1 January 2018. (WRC-2000)

**5.562H** Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-144 \text{ dB(W/(m}^2 \cdot \text{MHz})$  for all angles of arrival. (WRC-2000)

**5.563A** In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)

**5.563B** The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)

**5.565** The following frequency bands in the range 275-1 000 GHz are identified for use by administrations for passive service applications:

- radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;
- Earth exploration-satellite service (passive) and space research service (passive): 275-286 GHz, 296-306 GHz, 313-356 GHz, 361-365 GHz, 369-392 GHz, 397-399 GHz, 409-411 GHz, 416-434 GHz, 439-467 GHz, 477-502 GHz, 523-527 GHz, 538-581 GHz, 611-630 GHz, 634-654 GHz, 657-692 GHz, 713-718 GHz, 729-733 GHz, 750-754 GHz, 771-776 GHz, 823-846 GHz, 850-854 GHz, 857-862 GHz, 866-882 GHz, 905-928 GHz, 951-956 GHz, 968-973 GHz and 985-990 GHz.

The use of the range 275-1 000 GHz by the passive services does not preclude use of this range by active services. Administrations wishing to make frequencies in the 275-1 000 GHz range available for active service applications are urged to take all practicable steps to protect these passive services from harmful interference until the date when the Table of Frequency Allocations is established in the above-mentioned 275-1 000 GHz frequency range.

All frequencies in the range 1 000-3 000 GHz may be used by both active and passive services. (WRC-12)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

### Canadian footnotes

The complete set of Canadian footnotes to the *Canadian Table of Frequency Allocations* is listed hereafter. New footnotes and any modification or suppression of footnotes are identified by the indicator **(CAN-[year])**.

- C1** **(CAN-14)** Users of frequencies below 8.3 kHz shall ensure that no harmful interference is caused to the services to which the bands above 8.3 kHz are allocated.
- C2** **(CAN-14)** Scientific researchers using frequencies below 8.3 kHz are urged to advise the Department in order that such research may be afforded all practicable protection from harmful interference.
- C3** **(CAN-18)** *Additional allocation:* In the frequency band 2065-2107 kHz, the fixed service is also allocated on a primary basis provided that no harmful interference is caused to the maritime mobile service. Stations of the fixed service are restricted to communication within Canada's national borders, and their mean power shall not exceed 50 watts.
- C4** **(CAN-18)** *Additional allocation:* In the frequency bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz, the fixed service is allocated on a primary basis and its use is permitted on an exceptional basis provided that no harmful interference is caused to the maritime mobile service. Stations of the fixed service are restricted to communication within Canada's national borders, and their mean power shall not exceed 50 watts.
- C5** For the exclusive use of the Government of Canada.
- C5A** The use of the radiolocation service is limited to Government of Canada shipborne radar operations. These operations are not permitted on inland waters of Canada.
- C6** The use of the frequency band 10 100-10 150 kHz by the amateur service in Canada is not in accordance with the international frequency allocations. Canadian amateur operations shall not cause interference to fixed service operations of other administrations and if such interference should occur, the amateur service may be required to cease operations. The amateur service in Canada may not claim protection from interference by the fixed service operations of other administrations.
- C7** **(CAN-12)** International footnote **5.317A** provides administrations with the flexibility to implement International Mobile Telecommunications (IMT) in the parts of the band 698-960 MHz that are allocated to the mobile service on a primary basis. The application of **5.317A** is limited to the bands designated for cellular mobile radio systems, cellular mobile telephony and trunked mobile systems. The frequency bands 698-758 MHz and 776-788 MHz, 824-849 MHz and 869-894 MHz are designated for cellular mobile radio systems, cellular telephony services and the frequency bands 806-821 MHz, 851-866 MHz, 896-902 MHz and

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

935-941 MHz are designated for trunked mobile services and, as such, can evolve to accommodate IMT service capabilities.

**C9** In the frequency bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz, existing services may continue to operate after 1 April 2007 communicating only within national borders, provided that harmful interference is not caused to existing or planned broadcasting services.

**C10** *Additional allocation:* In the frequency band 420-430 MHz, the radiolocation service is also allocated on a secondary basis. The Department may authorize this use of the radiolocation service in coastal and off-shore regions of Canada where such radiolocation operations cannot be fully accommodated in the band 430-450 MHz.

**C11** **(CAN-18)** In the frequency band 219-220 MHz, the amateur service is permitted on a secondary basis. In the frequency band 220-222 MHz, the amateur service may be permitted in exceptional circumstances on a secondary basis to assist in disaster relief efforts.

**C12** **(CAN-18)** The frequency band 2 360-2 400 MHz is designated for aeronautical mobile telemetry\*\*\* (AMT) applications. The Government of Canada has priority on the use of this band. Access to band by other entities for AMT may be permitted subject to coordination with the Government of Canada systems.

**C13** **(CAN-03)** The frequency bands 2 305-2 320 MHz and 2 345-2 360 MHz are designated for Wireless Communication Service (WCS) applications under the fixed and mobile service allocations. Use of these bands is subject to domestic spectrum utilization policy.

**C13A** **(CAN-09)** *Additional allocation:* The frequency band 2 320-2 345 MHz is also designated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Spectrum utilization policies provide the inter-service relationship with respect to broadcasting service operation.

**C14** In the frequency band 2 850-2 900 MHz, operations of the maritime radionavigation service are limited to shore based radars.

**C15** **(CAN-14)** In certain locations in Canada the radiolocation service has priority over the fixed service in the 3450-3500 MHz band, and over the mobile service in the 3475-3500 MHz band. The Department will identify through spectrum policy the general area of radiolocation system operation.

---

\*\*\* Formerly known as Mobile Aeronautical Telemetry Systems (MATS)

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**C16** In the frequency band 10.7-10.95 GHz, users of the fixed-satellite service are urged, in their planning of operations, to give all practicable protection to the passive operations in the adjacent band 10.6-10.7 GHz.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**C16A** **(CAN-04)** In the frequency band 4500-4800 MHz the use of the fixed and mobile services by the Government of Canada in the vicinity of major military bases has priority over the use of the fixed-satellite service. The use of the fixed-satellite service in this band shall be limited to applications that pose minimal constraints on the deployment of fixed and mobile service systems by the Government of Canada in the vicinity of major military bases.

**C16C** **(CAN-00)** The use of the frequency bands 10.7-10.95 GHz in the space-to-Earth direction and 13.0-13.15 GHz and 13.2-13.25 GHz in the Earth-to-space direction by the fixed-satellite service, includes feeder links for mobile-satellite space stations.

**C16D** **(CAN-18)** In the frequency bands 17.8-18.3 GHz and 19.3-19.7 GHz, the use of these bands by the fixed service has priority over the use by the fixed-satellite service. Use of these bands by the fixed-satellite service shall be limited to applications that pose minimal constraints on the deployment of fixed services. Earth stations that comply with these requirements will be coordinated and may be granted radio authorization on a case-by-case basis.

**C16E** **(CAN-18)** In the frequency band 18.3-19.3 GHz, the use of this band by the fixed-satellite service has priority over the use by the fixed service. Use of this band by the fixed service in shall be limited to applications that pose minimal constraints on the deployment of fixed-satellite services. Domestic implementation of fixed-satellite services in the band 18.8-19.3 GHz will be governed by spectrum utilization policies to be developed. These policies will take regional developments into consideration in the designation and authorization of spectrum for particular systems and technologies.

**C16F** **(CAN-18)** In the frequency bands 28.35-29.1 GHz and 29.25-29.5 GHz, the use of these bands by the fixed-satellite service has priority over the use by the fixed service. Use of these bands by the fixed service shall be limited to applications that pose minimal constraints on the deployment of fixed-satellite services. Domestic implementation of fixed-satellite services in the band 28.6-29.1 GHz will be governed by spectrum utilization policies to be developed. These policies will take regional developments into consideration in the designation and authorization of spectrum for particular systems and technologies.

**C16G** **(CAN-18)** In the frequency band 29.1-29.25 GHz, the use of this band by the fixed service has priority over the use by the fixed-satellite service. Use of this band by the fixed-satellite service shall be limited to applications that pose minimal constraints on the deployment of fixed services. An example of such an application would be the use of a small number of large aperture earth stations, taking into account existing and potential service areas for ubiquitous deployment of fixed service systems.

**C16H** **(CAN-18)** The frequency bands 11.075-11.2 GHz and 11.575-11.7 GHz are available to provide direct-to-home satellite broadcasting services in Canada until January 1, 2028. The Department will not license new fixed service systems in these bands until January 1, 2026. See *Canada Gazette* notice DGTP-013-09 for complete details of the spectrum policy decision.

**C16I** **(CAN-14)** Geostationary orbit networks principally providing domestic fixed-satellite services utilizing the conventional bands 11.45-12.2 GHz and 19.7-20.2 GHz in the space-to-Earth

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

direction are paired respectively with the bands 13.75-14.50 GHz and 29.5-30.0 GHz in the Earth-to-space direction.

**C16J** **(CAN-14)** Domestic implementation of non-geostationary fixed-satellite services in the bands 11.45-12.2 GHz, 13.75-14.5 GHz, 19.7-20.2 GHz and 29.5-30.0 GHz will be required to conform to the applicable ITU Radio Regulations and operating criteria for sharing between services and systems in these bands.

**C17** **(CAN-03)** In the frequency band 2 300-2 360 MHz, mobile aeronautical telemetry services may be authorized on a secondary basis on certain military bases and vicinities where it does not constrain the implementation of wireless communication services and other services.

**C19** *Additional allocation:* In the frequency band 399.9-400.05 MHz, the fixed and mobile services are allocated on a secondary basis and their use is limited to low-power operations.

**C20** **(CAN-14)** In the frequency band 3 500-3 650 MHz, the fixed-satellite earth-stations will be located in areas so as not to constrain the implementation of fixed wireless access and mobile systems.

**C21** **(CAN-18)** Amateur service operators may transmit in the frequency band 5 351.5-5 366.5 kHz and on the following four centre frequencies: 5 332 kHz, 5 348 kHz, 5 373 kHz and 5 405 kHz. Amateur stations are allowed to operate with a maximum effective radiated power of 100 W PEP in each channel and are restricted to the following emission modes and designators: telephony (2K80J3E), data (2K80J2D), RTTY (60H0J2B) and CW (150HA1A). Transmissions in any channel may not occupy a bandwidth of more than 2.8 kHz. Such use is not in accordance with international frequency allocations. Canadian amateur operations shall not cause interference to fixed and mobile operations in Canada or in other countries and, if such interference occurs, the amateur service may be required to cease operations. The amateur service in Canada may not claim protection from interference by the fixed and mobile operations of other countries.

**C23** **(CAN-09)** In Canada, the frequency band 450-470 MHz is not generally available for use by broadband systems (e.g., IMT) due to the extensive use by conventional and trunked mobile radio systems.

**C24** **(CAN-18)** In the frequency bands 470-608 MHz and 614-806 MHz, through international allocations or international footnotes **5.293** and **5.297**, the fixed and mobile services have co-primary status with the broadcasting service. In Canada, the fixed and mobile services have primary allocations only in the 614-806 MHz range.

**C24A** **(CAN-18)** In Canada, within the frequency range 470 - 698 MHz, the frequency band 614 - 698 MHz is identified for International Mobile Telecommunications (IMT).

**C25** **(CAN-04)** The frequency band 4 400-4 940 MHz is allocated to the fixed and mobile services on a primary basis, for the exclusive use of the Government of Canada.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**C26** In the frequency band 148-149.9 MHz, applicants for a licence to provide mobile-satellite service in Canada must demonstrate that they have adopted measures to avoid causing harmful interference to the fixed and mobile services.

**C26A** **(CAN-00)** In the frequency bands 454-456 MHz and 459-460 MHz, applicants for a licence to provide mobile-satellite service in Canada must demonstrate that they have adopted measures to avoid causing harmful interference to the fixed and mobile services.

**C26B** **(CAN-00)** In the frequency bands 454-456 MHz and 459-460 MHz, stations of the mobile service have assignment priority over stations of the fixed service regarding access to spectrum.

**C27** **(CAN-05)** In the frequency band 1 370-1 390 MHz, high-power stations of the radiolocation service have priority over the fixed and mobile services.

**C27B** **(CAN-09)** In the frequency band 1 390-1 400 MHz existing radiolocation operations licensed prior to October 1, 2005 may continue to operate.

**C32** **(CAN-09)** *Additional allocation:* the frequency bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the land mobile service on a primary basis and to the fixed service on a secondary basis. The use of these bands by the land mobile and fixed services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service.

**C33** **(CAN-14)** As of June 11, 2009, in the frequency band 3650-3700 MHz, new fixed-satellite service earth stations are only authorized to operate on a secondary basis so as not to constrain the implementation of wireless broadband services.

**C34** **(CAN-09)** In the frequency band 2 300-2 400 MHz, the portions of the band identified for IMT in Canada are 2 305-2 320 and 2 345-2 360 MHz.

**C35** **(CAN-18)** In the frequency band 1 850-1 990 MHz, stations of the mobile service have priority over those of the fixed service.

**C36** **(CAN-18)** In the frequency bands 2 000-2 020 MHz and 2 180-2 200 MHz, fixed systems that adhere to the technical requirements set out for ATC in these bands may be permitted if operated by the MSS/ATC system licensee or by other operators with agreement from the relevant MSS/ATC system licensee. All applications for fixed systems licences must be made via the relevant MSS/ATC licensee.

**C37** **(CAN-14)** The designation of the frequency band 2 020-2 025 MHz for Advanced Wireless Services may be the subject of a future public consultation.

**C38** **(CAN-04)** In the frequency band 2 483.5-2 500 MHz, the fixed service has been reduced to secondary status with the implementation of the Low Earth Orbital (LEO) mobile-satellite service in Canada.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**C39A** **(CAN-05)** The frequency band 5 725-5 825 MHz is designated for use by licence-exempt wireless local area networks and devices with established maximum power levels and based upon not interfering with, or claiming protection from, licensed services.

**C39B** **(CAN-05)** The use of the frequency bands 5 150-5 250 MHz, 5 250-5 350 MHz and 5 470-5 725 MHz by the mobile service is in accordance with spectrum policy and technical and operational limits established for the implementation of wireless local area networks and devices.

**C39C** **(CAN-18)** In the frequency band 5 850-5 925 MHz, the use this band by the fixed and mobile services has priority over the use by the fixed-satellite service. Use of this band by the fixed-satellite service shall be limited to applications that pose minimal constraints on the deployment of fixed and mobile service systems. An example of such an application would be the use of a small number of large aperture earth stations, taking into account existing and potential service areas for ubiquitous deployment of fixed and mobile service systems.

**C39D** **(CAN-18)** SUP

**C40** **(CAN-12)** Use of the fixed-satellite (Earth-to-space) allocation in the 7 025-7 075 MHz band is limited to general inter-Regional fixed-satellite networks.

**C41** **(CAN-18)** The use of the frequency bands 14.66-14.82 GHz and 15.135-15.295 GHz is designated for government-exclusive aeronautical mobile applications in the mobile service. Beginning October 1, 2013, fixed service systems may continue to operate, but shall not claim protection from government systems operating in the aeronautical mobile service. Beginning October 1, 2017, fixed service systems may continue to operate in these bands, but shall not cause harmful interference to government systems operating in the aeronautical mobile service.

**C41A** **(CAN-04)** In the frequency band 14-14.5 GHz, the use of mobile-satellite allocation, on a secondary basis, shall be limited to those mobile earth stations which operate with space stations in the fixed-satellite service. Such use will be governed by spectrum utilization policies which will be formulated in the future.

**C42** *Additional allocation:* The frequency band 15.7-16.2 GHz is also allocated on a primary basis to the radionavigation service, the use of which is limited to Airport Surface Detection Equipment (ASDE).

**C43** In the frequency bands 17.3-17.8 GHz and 17.9-18.4 GHz, the fixed-satellite service (Earth-to-space) is limited to feeder links to broadcasting-satellite space stations operating in the 12.2-12.7 GHz band.

**C44** **(CAN-18)** The use of frequency band 25.05-25.25 GHz by the fixed service has priority over the use by the fixed-satellite service. Fixed-satellite service implementation in the band 25.05-25.25 GHz will be limited to applications which will impose minimal constraints upon the deployment of fixed service systems, such as those using a small number of large antennas for

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

feeder links to the broadcasting-satellite service and/or for gateway applications in the fixed-satellite service.

**C45** In the frequency band 17.7-17.8 GHz, Canadian stations in the fixed service shall not claim protection from and shall not cause harmful interference to Canadian stations operating in the broadcasting-satellite service after 1 April 2007. In addition, to protect broadcasting-satellite receiving stations in Canada and in the United States, the aggregate power flux-density from fixed systems of one country shall not be greater than  $-109$  dB (W/m<sup>2</sup>) over any 1 MHz band in any area within the other country where the broadcasting-satellite service is used.

**C46** **(CAN-18)** In the frequency band 17.7-17.8 GHz, Canadian broadcasting-satellite space stations shall not radiate into the territory of the United States a power flux-density greater than that specified in the ITU *Radio Regulations*, Article 21, Table 21-4, for geostationary-satellite space stations in the fixed-satellite service operating within this same band.

**C46A** **(CAN-04)** The use of the frequency band 19.3-19.7 GHz for fixed-satellite services (space-to-Earth) is limited to feeder links for the mobile-satellite service.

**C47A** **(CAN-14)** In the frequency band 27.35-28.35 GHz, use of spectrum for fixed service systems will be given priority over fixed-satellite service systems sharing this spectrum on a co-primary basis. Fixed-satellite service implementation in this band will be limited to applications which will pose minimal constraints upon the deployment of fixed service systems, such as a small number of large antennas for feeder links.

**C47B** **(CAN-18)** SUP

**C48** **(CAN-04)** The use of the frequency band 29.1-29.25 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the mobile-satellite service.

**C49** **(CAN-18)** In the frequency bands 7 250-7 750 MHz, 7 900-8 400 MHz 20.2-21.2 GHz and 30-31 GHz, the use of the fixed-satellite service is limited to the Government of Canada.

**C50** **(CAN-18)** In the frequency bands 7 250-7 375 MHz, 7 975-8 025 MHz, 20.2 -21.2 GHz, 30-31 GHz, 39.5-40.5 GHz and 43.5-45.5 GHz, the use of the mobile-satellite service is limited to the Government of Canada.

**C51** **(CAN-14)** The frequency band 38.6-40 GHz is being licensed for applications in the fixed service, which will be given priority over fixed-satellite service systems sharing this spectrum on a co-primary basis. Fixed-satellite service implementation in this spectrum will be limited to applications which will pose minimal constraints upon the deployment of fixed service systems, such as a small number of large antennas for feeder links.

**C52** **(CAN-00)** Use of the frequency band 47.2-48.2 GHz by High Altitude Platform Systems (HAPS) will be governed by spectrum utilization policies which will be formulated in the future.

## CANADIAN TABLE OF FREQUENCY ALLOCATIONS

**C53** **(CAN-14)** In the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz, a moratorium is placed on the authorization of new stations in the land mobile and fixed services. Existing stations, not used for automatic identification systems (AIS) purposes, will be displaced according to a future transition policy to enable full implementation of AIS.

**C54** **(CAN-14)** The frequency band 2750-2850 MHz is used for the operation of the 10.7 cm solar radio flux monitoring programme at the Dominion Radio Astrophysical Observatory (DRAO) located near Penticton, British Columbia. Other users of the band are urged to give all practicable protection to this passive operation.